

Produktinformation



Forschungsprodukte & Biochemikalien
Zellkultur & Verbrauchsmaterial
Diagnostik & molekulare Diagnostik
Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



Lieferung & Zahlungsart siehe unsere Liefer- und Versandbedingungen

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien T. +43(0)1 489 3961-0 F. +43(0)1 489 3961-7 <u>mail@szabo-scandic.com</u> www.szabo-scandic.com



TRAF6 (Human) Matched Antibody Pair		
Catalog # : H0000)7189-AP11	
Specification		Application Image
Product Description:	This antibody pair set comes with matched antibody pair to detect and quantify protein level of human TRAF6.	ELISA Pair (Recombinant protein)
Reactivity:	Human	
Quality Control Testing:	Standard curve using recombinant protein (H00007189-P01) as an analyte.	
	1.0 0.8 0.6 0.4 0.2 0.0 0.0 0.1 0.1 1.0 1.0 1.0 1.0	
Supplied Product:	Antibody pair set content: 1. Capture antibody: rabbit MaxPab® affinity purified polyclonal anti- TRAF6 (100 ug) 2. Detection antibody: mouse monoclonal anti-TRAF6, lgG2b Kappa (20 ug) *Reagents are sufficient for at least 1-2 x 96 well plates using recommended protocols.	
Storage Instruction:	Store reagents of the antibody pair set at -20°C or lower. Please aliquot to avoid repeated freeze thaw cycle. Reagents should be returned to - 20°C storage immediately after use.	
MSDS:	Download	
Applications		
ELISA Pair (Rec	ombinant protein)	
Gene Informatio	on	
Entrez GeneID:	7189	
Gene Name:	TRAF6	
Gene Alias:	MGC:3310,RNF85	
Gene Description:	TNF receptor-associated factor 6	
Omim ID:	<u>602355</u>	
Gene Ontology	Hyperlink Page 1 of 2	2016/

Gene Summary: The protein encoded by this gene is a member of the TNF receptor associated factor (TRAF) protein family. TRAF proteins are associated with, and mediate signal transduction from members of the TNF receptor superfamily. This protein mediates the signaling not only from the members of the TNF receptor superfamily, but also from the members of the Toll/IL-1 family. Signals from receptors such as CD40, TNFSF11/RANCE and IL-1 have been shown to be mediated by this protein. This protein also interacts with various protein kinases including IRAK1/IRAK, SRC and PKCzeta, which provides a link between distinct signaling pathways. This protein functions as a signal transducer in the NF-kappaB pathway that activates IkappaB kinase (IKK) in response to proinflammatory cytokines. The interaction of this protein with UBE2N/UBC13, and UBE2V1/UEV1A, which are ubiquitin conjugating enzymes catalyzing the formation of polyubiquitin chains, has been found to be required for IKK activation by this protein. Two alternatively spliced transcript variants encoding identical proteins have been reported. [provided by RefSeq

Other Designations:

Gene Pathway

Endocytosis MAPK signaling pathway Neurotrophin signaling pathway Pathways in cancer Small cell lung cancer Toll-like receptor signaling pathway Ubiquitin mediated proteolysis

Related Disease

Alzheimer Disease Alzheimer disease Arthritis. Rheumatoid Asthma Carcinoma Cardiovascular Diseases Chronic Disease Colitis, Ulcerative Crohn Disease Crohn's disease Diabetes Complications Diabetes Mellitus, Type 2 Edema Genetic Predisposition to Disease Hematologic Diseases Hepatitis C HIV Infections Hodgkin Disease Hypersensitivity

... see more

服務條款 | 隱私權政策 | 著作及商標 | 網站地圖

©2016 亞諾法生技股份有限公司 Abnova Corporation. 版權所有.