



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

TYK2 (Human) IP-WB Antibody Pair

Catalog # : H00007297-PW1

規格 : [1 Set]


[List All](#)

Specification

Product Description: This IP-WB antibody pair set comes with one antibody for immunoprecipitation and another to detect the precipitated protein in western blot.

Reactivity: Human

Quality Control Testing: Immunoprecipitation-Western Blot (IP-WB)



Immunoprecipitation of TYK2 transfected lysate using mouse monoclonal anti-TYK2 and Protein A Magnetic Bead ([U000Z](#)), and immunoblotted with rabbit polyclonal anti-TYK2.

Supplied Product: Antibody pair set content:
 1. Antibody pair for IP: mouse monoclonal anti-TYK2 (300 ug)
 2. Antibody pair for WB: rabbit polyclonal anti-TYK2 (50 ul)

Storage Instruction: Store reagents of the antibody pair set at -20°C or lower. Please aliquot to avoid repeated freeze thaw cycle. Reagents should be returned to -20°C storage immediately after use.

MSDS:  [Download](#)

Applications

Immunoprecipitation-Western Blot

 [Protocol Download](#)

Gene Information

Entrez GeneID: [7297](#)

Gene Name: TYK2

Gene Alias: JTK1

Gene Description: tyrosine kinase 2

Omim ID: [176941](#)

Gene Ontology: [Hyperlink](#)

Application Image

Immunoprecipitation-Western Blot

Gene Summary: This gene encodes a member of the tyrosine kinase and, more specifically, the Janus kinases (JAKs) protein families. This protein associates with the cytoplasmic domain of type I and type II cytokine receptors and promulgate cytokine signals by phosphorylating receptor subunits. It is also component of both the type I and type III interferon signaling pathways. As such, it may play a role in anti-viral immunity. A mutation in this gene has been associated with hyperimmunoglobulin E syndrome (HIES) - a primary immunodeficiency characterized by elevated serum immunoglobulin E. [provided by RefSeq]

Other -
Designations:

Gene Pathway

[Jak-STAT signaling pathway](#)

Related Disease

[Arthritis, Rheumatoid](#) [Asthma](#) [Asthma Birth Weight](#) [Bronchiolitis, Viral](#) [Crohn Disease](#) [Crohn's disease](#) [Diabetes Mellitus, Type 1](#) [Genetic Predisposition to Disease](#) [Glioblastoma](#) [Glioma](#) [Hepatitis C, Chronic](#) [Infant, Premature, Diseases](#) [Kidney Failure, Chronic](#) [Leukemia](#) [Leukemia, Myeloid, Acute](#) [Liver Cirrhosis](#) [Lupus Erythematosus, Systemic](#) [Lymphoproliferative Disorders](#)

... see more

[服務條款](#) | [隱私權政策](#) | [著作及商標](#) | [網站地圖](#)

©2016 亞諾法生技股份有限公司 Abnova Corporation. 版權所有.