SZABO SCANDIC

Part of Europa Biosite

Produktinformation

- Forschungsprodukte & Biochemikalien
- Zellkultur & Verbrauchsmaterial
- Diagnostik & molekulare Diagnostik
- Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!

Lieferung & Zahlungsart

siehe unsere Liefer- und Versandbedingungen

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

linkedin.com/company/szaboscandic

UGT2B15 (Human) IP-WB Antibody Pair

Catalog # : H00007366-PW1 **規格 :** [1 Set]

List All

Specification

Product Description: This IP-WB antibody pair set comes with one antibody for immunoprecipitation and another to detect the precipitated protein in western blot.

Reactivity: Human

Quality Control Testing: Immunoprecipitation-Western Blot (IP-WB)



Immunoprecipitation of UGT2B15 transfected lysate using rabbit polyclonal anti-UGT2B15 and Protein A Magnetic Bead (U0007), and immunoblotted with mouse purified polyclonal anti-UGT2B15.

Supplied Product: Antibody pair set content:
1. Antibody pair for IP: rabbit polyclonal anti-UGT2B15 (300 ul)
2. Antibody pair for WB: mouse purified polyclonal anti-UGT2B15 (50 ug)

Storage Instruction: Store reagents of the antibody pair set at -20°C or lower. Please aliquot to avoid repeated freeze thaw cycle. Reagents should be returned to -20°C storage immediately after use.

Applications

Immunoprecipitation-Western Blot

Protocol Download

Gene Information

Entrez GeneID: 7366

Gene Name: UGT2B15

Gene Alias: UGT2B8

Gene Description: UDP glucuronosyltransferase 2 family, polypeptide B15

Omim ID: 600069

Gene Ontology: Hyperlink

Application Image

Immunoprecipitation-Western Blot

Gene Summary: The UGTs are of major importance in the conjugation and subsequent elimination of potentially toxic xenobiotics and endogenous compounds. UGT2B8 demonstrates reactivity with estriol. See UGT2B4 (MIM 600067).[supplied by OMIM

Other Designations: UDP glycosyltransferase 2 family, polypeptide B15,UDP-glucuronosyltransferase UGT2B15,UDP-glucuronyltransferase, family 2, beta-15

Gene Pathway

Androgen and estrogen metabolism Ascorbate and aldarate metabolism
Drug metabolism - cytochrome P450 Drug metabolism - other enzymes Metabolic pathways
Metabolism of xenobiotics by cytochrome P450 Pentose and glucuronate interconversions
Porphyrin and chlorophyll metabolism Retinol metabolism Starch and sucrose metabolism

Related Disease

Adenomatous Polyposis Coli Breast cancer Breast Neoplasms
Cell Transformation, Neoplastic Colon cancer Duodenal Neoplasms
Genetic Predisposition to Disease Hearing Loss Insulin Resistance
Neoplasm Recurrence, Local Prostate cancer Prostatic Neoplasms Psychometrics
Psychomotor Performance

服務條款 | 隱私權政策 | 著作及商標 | 網站地圖

©2016 亞諾法生技股份有限公司 Abnova Corporation. 版權所有.