



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

VIPR1 (Human) IP-WB Antibody Pair

Catalog # : H00007433-PW1

規格 : [1 Set]


[List All](#)

Specification

Product Description: This IP-WB antibody pair set comes with one antibody for immunoprecipitation and another to detect the precipitated protein in western blot.

Reactivity: Human

Quality Control Testing: Immunoprecipitation-Western Blot (IP-WB)



Immunoprecipitation of VIPR1 transfected lysate using rabbit polyclonal anti-VIPR1 and Protein A Magnetic Bead (U0007), and immunoblotted with mouse purified polyclonal anti-VIPR1.

Supplied Product: Antibody pair set content:
 1. Antibody pair for IP: rabbit polyclonal anti-VIPR1 (300 ul)
 2. Antibody pair for WB: mouse purified polyclonal anti-VIPR1 (50 ug)

Storage Instruction: Store reagents of the antibody pair set at -20°C or lower. Please aliquot to avoid repeated freeze thaw cycle. Reagents should be returned to -20°C storage immediately after use.

MSDS:  [Download](#)

Applications

Immunoprecipitation-Western Blot

 [Protocol Download](#)

Gene Information

Entrez GeneID: [7433](#)

Gene Name: VIPR1

Gene Alias: FLJ41949,HVR1,II,PACAP-R-2,RDC1,VAPC1,VIPR,VIRG,VPAC1,VPCAP1R

Gene Description: vasoactive intestinal peptide receptor 1

Omim ID: [192321](#)

Gene Ontology: [Hyperlink](#)

Gene Summary: This gene encodes a receptor for vasoactive intestinal peptide, a small neuropeptide. Vasoactive intestinal peptide is involved in smooth muscle relaxation, exocrine and endocrine secretion, and water and ion flux in lung and intestinal epithelia. Its actions are effected through integral membrane receptors associated with a guanine nucleotide binding protein which activates adenylate cyclase. [provided by RefSeq]

Other Designations: PACAP type II receptor, VIP receptor, type I, pituitary adenylate cyclase activating polypeptide receptor, type II

Gene Pathway

[Neuroactive ligand-receptor interaction](#)

Related Disease

[Asperger Syndrome](#) [Autistic Disorder](#) [Esophageal Achalasia](#)
[Genetic Predisposition to Disease](#) [Hyperparathyroidism, Secondary](#) [Mental Disorders](#)
[Social Perception](#) [Spondylitis](#), [Ankylosing](#)

[服務條款](#) | [隱私權政策](#) | [著作及商標](#) | [網站地圖](#)

©2016 亞諾法生技股份有限公司 Abnova Corporation. 版權所有.