



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

XPA (Human) IP-WB Antibody Pair

Catalog # : H00007507-PW2

規格 : [1 Set]


List All

Specification

Product Description: This IP-WB antibody pair set comes with one antibody for immunoprecipitation and another to detect the precipitated protein in western blot.

Reactivity: Human

Quality Control Testing: Immunoprecipitation-Western Blot (IP-WB)



Immunoprecipitation of XPA transfected lysate using rabbit polyclonal anti-XPA and Protein A Magnetic Bead ([U0007](#)), and immunoblotted with mouse purified polyclonal anti-XPA.

Supplied Product: Antibody pair set content:
 1. Antibody pair for IP: rabbit polyclonal anti-XPA (300 ul)
 2. Antibody pair for WB: mouse purified polyclonal anti-XPA (50 ug)

Storage Instruction: Store reagents of the antibody pair set at -20°C or lower. Please aliquot to avoid repeated freeze thaw cycle. Reagents should be returned to -20°C storage immediately after use.

Applications

Immunoprecipitation-Western Blot

 [Protocol Download](#)

Gene Information

Entrez GeneID: [7507](#)

Gene Name: XPA

Gene Alias: XP1,XPAC

Gene Description: xeroderma pigmentosum, complementation group A

Omim ID: [278700](#), [611153](#)

Gene Ontology: [Hyperlink](#)

Gene Summary: This gene encodes a zinc finger protein involved in DNA excision repair.

The encoded protein is part of the NER (nucleotide excision repair) complex which is responsible for repair of UV radiation-induced photoproducts and DNA adducts induced by chemical carcinogens. Mutations in this gene are associated with xeroderma pigmentosum complementation group A. Alternatively spliced transcript variants have been found for this gene. [provided by RefSeq]

Other Designations: OTTHUMP00000021751,excision repair-controlling

Gene Pathway

[Nucleotide excision repair](#)

Related Disease

[Acute Disease](#) [Adenocarcinoma](#) [Ataxia telangiectasia](#) [Bone Neoplasms](#) [Breast cancer](#)
[Breast Neoplasms](#) [Carcinoma, Basal Cell](#) [Carcinoma, Non-Small-Cell Lung](#)
[Carcinoma, Renal Cell](#) [Carcinoma, Squamous Cell](#) [Cell Transformation, Neoplastic](#)
[Chromosome Aberrations](#) [Colon cancer](#) [Colonic Neoplasms](#) [Colorectal Neoplasms](#)
[Disease Progression](#) [DNA Damage](#) [Endometrial Neoplasms](#) [Esophageal Neoplasms](#)

... see more

[服務條款](#) | [隱私權政策](#) | [著作及商標](#) | [網站地圖](#)

©2016 亞諾法生技股份有限公司 Abnova Corporation. 版權所有.