

Produktinformation



Forschungsprodukte & Biochemikalien
Zellkultur & Verbrauchsmaterial
Diagnostik & molekulare Diagnostik
Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



Lieferung & Zahlungsart siehe unsere Liefer- und Versandbedingungen

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien T. +43(0)1 489 3961-0 F. +43(0)1 489 3961-7 <u>mail@szabo-scandic.com</u> www.szabo-scandic.com



TNFSF14 (Human) IP-WB Antibody Pair		
Catalog # : H0000)8740-PW1 規格:[1Set]	
Specification		Application Image
Product Description:	This IP-WB antibody pair set comes with one antibody for immunoprecipitation and another to detect the precipitated protein in western blot.	Immunoprecipitation-Western Blot
Reactivity:	Human	
Quality Control Testing:	Immunoprecipitation-Western Blot (IP-WB)	
Supplied Product:	Antibody pair set content: 1. Antibody pair for IP: mouse monoclonal anti-TNFSF14 (300 ug) 2. Antibody pair for WB: rabbit polyclonal anti-TNFSF14 (50 ul)	
Storage Instruction:	Store reagents of the antibody pair set at -20°C or lower. Please aliquot to avoid repeated freeze thaw cycle. Reagents should be returned to - 20°C storage immediately after use.	
MSDS:	Download	
Applications		
Immunoprecipit	ation-Western Blot	
Gene Informatio	on	
Entrez GenelD:	<u>8740</u>	
Gene Name:	TNFSF14	
Gene Alias:	CD258,HVEML,LIGHT,LTg,TR2	
Gene Description:	tumor necrosis factor (ligand) superfamily, member 14	
Omim ID:	604520	
Gene Ontology:	<u>Hyperlink</u>	

Gene Summary	<i>r</i> : The protein encoded by this gene is a member of the tumor necrosis factor (TNF) ligand family. This protein is a ligand for TNFRSF14, which is a member of the tumor necrosis factor receptor superfamily, and which is also known as a herpesvirus entry mediator (HVEM). This protein may function as a costimulatory factor for the activation of lymphoid cells and as a deterrent to infection by herpesvirus. This protein has been shown to stimulate the proliferation of T cells, and trigger apoptosis of various tumor cells. This protein is also reported to prevent tumor necrosis factor alpha mediated apoptosis in primary hepatocyte. Two alternatively spliced transcript variant encoding distinct isoforms have been reported. [provided by RefSeq		
Other Designations:	delta transmembrane LIGHT, herpesvirus entry mediator A, ligand for herpesvirus entry mediator, tumor necrosis factor ligand superfamily, member 14, tumor necrosis factor receptor-like 2, tumor necrosis factor superfamily member LIGHT		
Gene Pathway			
Cytokine-cytokine receptor interaction			
Related Diseas	e		

Dementia, Vascular Genetic Diseases, Inborn Genetic Predisposition to Disease Hematologic Diseases Hodgkin Disease Hyperparathyroidism, Secondary Inflammation Lymphoproliferative Disorders Multiple Myeloma Narcolepsy Occupational Diseases Stroke Waldenstrom Macroglobulinemia Werner syndrome

> 服務條款 | 隱私權政策 | 著作及商標 | 網站地圖 ©2016 亞諾法生技股份有限公司 Abnova Corporation. 版權所有.