



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

TNFRSF10B (Human) IP-WB Antibody Pair

Catalog # : H00008795-PW2

規格 : [1 Set]


[List All](#)

Specification

Product Description: This IP-WB antibody pair set comes with one antibody for immunoprecipitation and another to detect the precipitated protein in western blot.

Reactivity: Human

Quality Control Testing: Immunoprecipitation-Western Blot (IP-WB)



Immunoprecipitation of TNFRSF10B transfected lysate using mouse monoclonal anti-TNFRSF10B and Protein A Magnetic Bead ([U0007](#)), and immunoblotted with rabbit polyclonal anti-TNFRSF10B.

Supplied Product: Antibody pair set content:
1. Antibody pair for IP: mouse monoclonal anti-TNFRSF10B (300 ug)
2. Antibody pair for WB: rabbit polyclonal anti-TNFRSF10B (50 ul)

Storage Instruction: Store reagents of the antibody pair set at -20°C or lower. Please aliquot to avoid repeated freeze thaw cycle. Reagents should be returned to -20°C storage immediately after use.

MSDS:  [Download](#)

Applications

Immunoprecipitation-Western Blot

 [Protocol Download](#)

Gene Information

Entrez GeneID: [8795](#)

Gene Name: TNFRSF10B

Gene Alias: CD262, DR5, KILLER, KILLER/DR5, TRAIL-R2, TRAILR2, TRICK2, TRICK2A, TRICK2B, TRICKB, ZTNFR9

Gene Description: tumor necrosis factor receptor superfamily, member 10b

Omim ID: [275355](#), [603612](#)

Application Image

Immunoprecipitation-Western Blot

Gene Ontology: [Hyperlink](#)

Gene Summary: The protein encoded by this gene is a member of the TNF-receptor superfamily, and contains an intracellular death domain. This receptor can be activated by tumor necrosis factor-related apoptosis inducing ligand (TNFSF10/TRAIL/APO-2L), and transduces an apoptosis signal. Studies with FADD-deficient mice suggested that FADD, a death domain containing adaptor protein, is required for the apoptosis mediated by this protein. Two transcript variants encoding different isoforms and one non-coding transcript have been found for this gene. [provided by RefSeq]

Other Designations: Fas-like protein,OTTHUMP00000123492,TNF-related apoptosis-inducing ligand receptor 2,TRAIL receptor 2,apoptosis inducing protein TRICK2A/2B,apoptosis inducing receptor TRAIL-R2,cytotoxic TRAIL receptor-2,death domain containing receptor for TRAIL/Apo-2L,d

Gene Pathway

[Apoptosis](#) [Cytokine-cytokine receptor interaction](#) [Natural killer cell mediated cytotoxicity](#) [p53 signaling pathway](#)

Related Disease

[Asthma](#) [Breast Neoplasms](#) [Carcinoma, Ductal](#) [Carcinoma, Squamous Cell](#) [Cardiovascular Diseases](#) [Cleft Lip](#) [Cleft Palate](#) [Colorectal Neoplasms](#) [Diabetes Mellitus, Type 2](#) [Disease Progression](#) [Edema](#) [Genetic Predisposition to Disease](#) [Head and Neck Neoplasms](#) [Hematologic Diseases](#) [Hodgkin Disease](#) [Lymphoproliferative Disorders](#) [Multiple Myeloma](#) [Neoplasm Metastasis](#) [Neoplasms, Second Primary](#)

... see more

[服務條款](#) | [隱私權政策](#) | [著作及商標](#) | [網站地圖](#)

©2016 亞諾法生技股份有限公司 Abnova Corporation. 版權所有.