

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere Liefer- und Versandbedingungen

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

linkedin.com/company/szaboscandic in





PICK1 (Human) IP-WB Antibody Pair

Catalog # : H00009463-PW2 規格 : [1 Set]

List All

| Specification | | Application Image |
|-----------------------------|--|-------------------------------------|
| Product Description: | This IP-WB antibody pair set comes with one antibody for immunoprecipitation and another to detect the precipitated protein in western blot. | Immunoprecipitation-Westerr Blot |
| Reactivity: | Human | |
| Quality Control Testing: | Immunoprecipitation-Western Blot (IP-WB) 100 | |
| Supplied Product: | Antibody pair set content: 1. Antibody pair for IP: rabbit polyclonal anti-PICK1 (300 ul) 2. Antibody pair for WB: mouse purified polyclonal anti-PICK1 (50 ug) | |
| Storage Instruction: | Store reagents of the antibody pair set at -20°C or lower. Please aliquot to avoid repeated freeze thaw cycle. Reagents should be returned to -20°C storage immediately after use. | |
| MSDS: | <u>Download</u> | |
| Applications | | |
| Immunoprecipit | ation-Western Blot | |
| Gene Information | on | |
| Entrez GeneID: | 9463 | |
| Gene Name: | PICK1 | |
| Gene Alias: | MGC15204,PICK,PRKCABP | |
| Gene Description: | protein interacting with PRKCA 1 | |
| Omim ID: | 605926 | |
| Gene Ontology: | Hyperlink | |

Page 1 of 2 2016/5/22

Gene Summary: The protein encoded by this gene contains a PDZ domain, through which it interacts with protein kinase C, alpha (PRKCA). This protein may function as an adaptor that binds to and organizes the subcellular localization of a variety of membrane proteins. It has been shown to interact with multiple glutamate receptor subtypes, monoamine plasma membrane transporters, as well as non-voltage gated sodium channels, and may target PRKCA to these membrane proteins and thus regulate their distribution and function. This protein has also been found to act as an anchoring protein that specifically targets PRKCA to mitochondria in a ligand-specific manner. Three transcript variants encoding the same protein have been found for this gene. [provided by RefSeq

Other

OTTHUMP00000028509,PRKCA-binding protein,protein interacting with

Designations: C kinase 1, protein kinase C, alpha binding protein

Related Disease

<u>Amphetamine-Related Disorders</u> <u>Genetic Predisposition to Disease</u> <u>Mental Disorders</u> Psychoses, Substance-Induced Schizophrenia Schizophrenia

服務條款 | 隱私權政策 | 著作及商標 | 網站地圖

©2016 亞諾法生技股份有限公司 Abnova Corporation. 版權所有.

Page 2 of 2 2016/5/22