



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

OLIG2 (Human) IP-WB Antibody Pair

Catalog # : H00010215-PW2

規格 : [1 Set]


[List All](#)

Specification

Product Description: This IP-WB antibody pair set comes with one antibody for immunoprecipitation and another to detect the precipitated protein in western blot.

Reactivity: Human

Quality Control Testing: Immunoprecipitation-Western Blot (IP-WB)



Immunoprecipitation of OLIG2 transfected lysate using mouse monoclonal anti-OLIG2 and Protein A Magnetic Bead ([U0007](#)), and immunoblotted with rabbit polyclonal anti-OLIG2.

Supplied Product: Antibody pair set content:
1. Antibody pair for IP: mouse monoclonal anti-OLIG2 (300 ug)
2. Antibody pair for WB: rabbit polyclonal anti-OLIG2 (50 ul)

Storage Instruction: Store reagents of the antibody pair set at -20°C or lower. Please aliquot to avoid repeated freeze thaw cycle. Reagents should be returned to -20°C storage immediately after use.

MSDS:  [Download](#)

Applications

Immunoprecipitation-Western Blot

 [Protocol Download](#)

Gene Information

Entrez GeneID: [10215](#)

Gene Name: OLIG2

Gene Alias: BHLHB1,OLIGO2,PRKCBP2,RACK17,bHLHe19

Gene Description: oligodendrocyte lineage transcription factor 2

Omim ID: [606386](#)

Gene Ontology: [Hyperlink](#)

Application Image

Immunoprecipitation-Western Blot

Gene Summary: This gene encodes a basic helix-loop-helix transcription factor which is expressed in oligodendroglial tumors of the brain. The protein is an essential regulator of ventral neuroectodermal progenitor cell fate. The gene is involved in a chromosomal translocation t(14;21)(q11.2;q22) associated with T-cell acute lymphoblastic leukemia. Its chromosomal location is within a region of chromosome 21 which has been suggested to play a role in learning deficits associated with Down syndrome.
[provided by RefSeq]

Other Designations: OTTHUMP00000067569,OTTHUMP00000067570,basic domain, helix-loop-helix protein, class B, 1,human protein kinase C-binding protein RACK17,oligodendrocyte-specific bHLH transcription factor 2,protein kinase C binding protein 2

Related Disease

[Alzheimer Disease](#) [Alzheimer disease](#) [Genetic Predisposition to Disease](#)
[Obsessive-Compulsive Disorder](#) [Psychotic Disorders](#) [Schizophrenia](#) [Schizophrenia](#)
[Tourette Syndrome](#)

[服務條款](#) | [隱私權政策](#) | [著作及商標](#) | [網站地圖](#)

©2016 亞諾法生技股份有限公司 Abnova Corporation. 版權所有.