



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

BATF (Human) IP-WB Antibody Pair

Catalog # : H00010538-PW1

規格 : [1 Set]


[List All](#)

Specification

Product Description: This IP-WB antibody pair set comes with one antibody for immunoprecipitation and another to detect the precipitated protein in western blot.

Reactivity: Human

Quality Control Testing: Immunoprecipitation-Western Blot (IP-WB)



Immunoprecipitation of BATF transfected lysate using mouse monoclonal anti-BATF and Protein A Magnetic Bead ([U000Z](#)), and immunoblotted with rabbit polyclonal anti-BATF.

Supplied Product: Antibody pair set content:
1. Antibody pair for IP: mouse monoclonal anti-BATF (300 ug)
2. Antibody pair for WB: rabbit polyclonal anti-BATF (50 ul)

Storage Instruction: Store reagents of the antibody pair set at -20°C or lower. Please aliquot to avoid repeated freeze thaw cycle. Reagents should be returned to -20°C storage immediately after use.

MSDS:  [Download](#)

Applications

Immunoprecipitation-Western Blot

 [Protocol Download](#)

Gene Information

Entrez GeneID: [10538](#)

Gene Name: BATF

Gene Alias: B-ATF, BATF1, SFA-2, SFA2

Gene Description: basic leucine zipper transcription factor, ATF-like

Gene Ontology: [Hyperlink](#)

Gene Summary: The protein encoded by this gene is a nuclear basic leucine zipper

Application Image

Immunoprecipitation-Western Blot

protein that belongs to the AP-1/ATF superfamily of transcription factors. The leucine zipper of this protein mediates dimerization with members of the Jun family of proteins. This protein is thought to be a negative regulator of AP-1/ATF transcriptional events. [provided by RefSeq

Other Designations: SF-HT-activated gene 2,activating transcription factor B

[服務條款](#) | [隱私權政策](#) | [著作及商標](#) | [網站地圖](#)

©2016 亞諾法生技股份有限公司 Abnova Corporation. 版權所有.