



# SZABO SCANDIC

Part of Europa Biosite

## Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!  
See the following pages for more information!



### Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

[mail@szabo-scandic.com](mailto:mail@szabo-scandic.com)

[www.szabo-scandic.com](http://www.szabo-scandic.com)

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

## PROCR (Human) IP-WB Antibody Pair

Catalog # : H00010544-PW2

規格 : [ 1 Set ]


List All

### Specification

**Product Description:** This IP-WB antibody pair set comes with one antibody for immunoprecipitation and another to detect the precipitated protein in western blot.

**Reactivity:** Human

**Quality Control Testing:** Immunoprecipitation-Western Blot (IP-WB)



Immunoprecipitation of PROCR transfected lysate using rabbit polyclonal anti-PROCR and Protein A Magnetic Bead (U0007), and immunoblotted with mouse purified polyclonal anti-PROCR.

**Supplied Product:** Antibody pair set content:  
1. Antibody pair for IP: rabbit polyclonal anti-PROCR (300 ul)  
2. Antibody pair for WB: mouse purified polyclonal anti-PROCR (50 ug)

**Storage Instruction:** Store reagents of the antibody pair set at -20°C or lower. Please aliquot to avoid repeated freeze thaw cycle. Reagents should be returned to -20°C storage immediately after use.

### Applications

Immunoprecipitation-Western Blot

 [Protocol Download](#)

### Gene Information

**Entrez GeneID:** [10544](#)

**Gene Name:** PROCR

**Gene Alias:** CCCA, CCD41, CD201, EPCR, MGC23024, bA42O4.2

**Gene Description:** protein C receptor, endothelial (EPCR)

**Omim ID:** [600646](#)

**Gene Ontology:** [Hyperlink](#)

**Gene Summary:** The protein encoded by this gene is a receptor for activated protein C,

a serine protease activated by and involved in the blood coagulation pathway. The encoded protein is an N-glycosylated type I membrane protein that enhances the activation of protein C. Mutations in this gene have been associated with venous thromboembolism and myocardial infarction, as well as with late fetal loss during pregnancy. [provided by RefSeq

---

**Other** APC receptor,CD201 antigen,OTTHUMP00000030729,activated protein  
**Designations:** C receptor,cell cycle, centrosome-associated  
protein,centrocyclin,endothelial protein C receptor

---

### **Related Disease**

---

[Abortion, Habitual](#) [Abortion, Spontaneous](#) [Atherosclerosis beta-Thalassemia](#)  
[Brain Ischemia](#) [Cardiovascular Diseases](#) [Cerebral Palsy](#) [Cerebrovascular Accident](#)  
[Cerebrovascular Disorders](#) [Coronary Disease](#) [Coronary Stenosis](#)  
[Diabetes Mellitus, Type 2](#) [Edema](#) [Embryo Loss](#) [Fetal Death](#)  
[Genetic Predisposition to Disease](#) [Hearing Loss, Sudden](#) [Inflammation](#)  
[Intracranial Thrombosis](#)

... see more

---

[服務條款](#) | [隱私權政策](#) | [著作及商標](#) | [網站地圖](#)

©2016 亞諾法生技股份有限公司 Abnova Corporation. 版權所有.