SZABO SCANDIC

Part of Europa Biosite

Produktinformation

- Forschungsprodukte & Biochemikalien
- Zellkultur & Verbrauchsmaterial
- Diagnostik & molekulare Diagnostik
- Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!

Lieferung & Zahlungsart

siehe unsere Liefer- und Versandbedingungen

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

linkedin.com/company/szaboscandic

WDR4 (Human) IP-WB Antibody Pair

Catalog # : H00010785-PW1 **規格 :** [1 Set]

List All

Specification

Product Description: This IP-WB antibody pair set comes with one antibody for immunoprecipitation and another to detect the precipitated protein in western blot.

Reactivity: Human

Quality Control Testing: Immunoprecipitation-Western Blot (IP-WB)



Immunoprecipitation of WDR4 transfected lysate using rabbit polyclonal anti-WDR4 and Protein A Magnetic Bead (U0007), and immunoblotted with mouse polyclonal anti-WDR4.

Supplied Product: Antibody pair set content:
1. Antibody pair for IP: rabbit polyclonal anti-WDR4 (300 ul)
2. Antibody pair for WB: mouse polyclonal anti-WDR4 (50 ul)

Storage Instruction: Store reagents of the antibody pair set at -20°C or lower. Please aliquot to avoid repeated freeze thaw cycle. Reagents should be returned to -20°C storage immediately after use.

MSDS: Download

Applications

Immunoprecipitation-Western Blot

Protocol Download

Gene Information

Entrez GeneID: 10785

Gene Name: WDR4

Gene Alias: TRM82

Gene Description: WD repeat domain 4

Omim ID: 605924

Gene Ontology: Hyperlink

Application Image

Immunoprecipitation-Western Blot

Gene Summary:	This gene encodes a member of the WD repeat protein family. WD repeats are minimally conserved regions of approximately 40 amino acids typically bracketed by gly-his and trp-asp (GH-WD), which may facilitate formation of heterotrimeric or multiprotein complexes. Members of this family are involved in a variety of cellular processes, including cell cycle progression, signal transduction, apoptosis, and gene regulation. This gene is excluded as a candidate for a form of nonsyndromic deafness (DFNB10), but is still a candidate for other disorders mapped to 21q22.3 as well as for the development of Down syndrome phenotypes. Two transcript variants encoding the same protein have been found for this gene. [provided by RefSeq
Other Designations:	WD repeat domain 4 protein,WD repeat-containing protein 4