



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC Handels GmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic)



Datasheet

CNOT7 monoclonal antibody (MF01), clone 2F6 (FITC)

Catalog Number: H00029883-MF01

Regulation Status: For research use only (RUO)

Product Description: FITC conjugated mouse monoclonal antibody raised against a full length recombinant CNOT7.

Clone Name: 2F6

Immunogen: CNOT7 (AAH60852, 1 a.a. ~ 285 a.a) full-length recombinant protein with GST tag. MW of the GST tag alone is 26 KDa.

Sequence:

MPAATVDHSQRICEVWACNLDEEMKKIRQVIRKYNVY
AMDTEFPGVVARPIGEFRSNADYQYQLLR CNVDLLKII
QLGLTFMNEQGEYPPGTSTWQFNFKFNLTEDMYAQD
SIELTTSGIQFKKHEEEGIETQYFAELLMTSGVVLCEG
VKWLSFHSGYDFGYLIKILTNSNLPEEELDFEILRLFFP
VIYDVKYLMKSKNLKGGLEVAEQLELERIGPQHQA
GSDSLLTGMAFFKMREMFFEDHIDDAKYCGHLYGLGS
GSSYVQNGTGNAYEEEANKQS

Host: Mouse

Interspecies Antigen Sequence: Mouse (99); Rat (99)

Protocols: See our web site at
<http://www.abnova.com/support/protocols.asp> or product
page for detailed protocols

Conjugation: FITC

Isotype: IgG2a Kappa

Storage Buffer: In 1x PBS, pH 7.4

Storage Instruction: Store at -20°C or lower. Aliquot to
avoid repeated freezing and thawing.

Entrez GeneID: 29883

Gene Symbol: CNOT7

Gene Alias: CAF1, hCAF-1

Gene Summary: The protein encoded by this gene binds to an anti-proliferative protein, B-cell translocation protein 1, which negatively regulates cell proliferation. Binding of the two proteins, which is driven by phosphorylation of the anti-proliferative protein, causes signaling events in cell division that lead to changes in cell proliferation associated with cell-cell contact. The protein has both mouse and yeast orthologs. Alternate splicing of this gene results in two transcript variants encoding different isoforms. [provided by RefSeq]