



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

FastELISA™ GH1 (Human) ELISA Kit

Catalog # KA7047

Size 1 Kit

Specification

Product Description	FastELISA™ GH1 (Human) ELISA Kit is a sandwich enzyme immunoassay for the quantitative measurement of Human GH1 (Growth hormone) in Serum, plasma.
Suitable Sample	Serum, Plasma, etc.
Sample Volume	50 μ L
Detection Method	Colormetric
Assay Type	Quantitative
Calibration Range	12.5-800 pg/mL
Limit of Detection	0.2 pg/mL
Specificity	This assay is highly specific for detection of Human GH1. No significant cross-reactivity or interference between Human GH1 and analogues was observed.
Regulation Status	For research use only (RUO)
Storage Instruction	Store at 2-8°C for 6 months. For long term storage store at -20°C. Avoid repeated freezing and thawing.

Applications

- Quantification

Gene Info — GH1

Entrez GeneID [2688](#)**Gene Name** GH1

Gene Alias	GH, GH-N, GHN, hGH-N
Gene Description	growth hormone 1
Omim ID	139250 173100 262400 262650 604271
Gene Ontology	Hyperlink
Gene Summary	The protein encoded by this gene is a member of the somatotropin/prolactin family of hormones which play an important role in growth control. The gene, along with four other related genes, is located at the growth hormone locus on chromosome 17 where they are interspersed in the same transcriptional orientation; an arrangement which is thought to have evolved by a series of gene duplications. The five genes share a remarkably high degree of sequence identity. Alternative splicing generates additional isoforms of each of the five growth hormones, leading to further diversity and potential for specialization. This particular family member is expressed in the pituitary but not in placental tissue as is the case for the other four genes in the growth hormone locus. Mutations in or deletions of the gene lead to growth hormone deficiency and short stature. [provided by RefSeq]
Other Designations	pituitary growth hormone

Pathway

- [Cytokine-cytokine receptor interaction](#)
- [Jak-STAT signaling pathway](#)
- [Neuroactive ligand-receptor interaction](#)

Disease

- [Adenocarcinoma](#)
- [Adenoma](#)
- [Alzheimer disease](#)
- [Birth Weight](#)
- [Brain Ischemia](#)
- [Breast cancer](#)
- [Breast Neoplasms](#)
- [Cardiovascular Diseases](#)
- [Cerebrovascular Accident](#)

- [Colonic Polyps](#)
- [Colorectal Neoplasms](#)
- [Diabetes Complications](#)
- [Diabetes Mellitus](#)
- [Dwarfism](#)
- [Edema](#)
- [Esophageal Neoplasms](#)
- [Esophagitis](#)
- [Genetic Predisposition to Disease](#)
- [Growth Disorders](#)
- [Hematologic Diseases](#)
- [Hyperplasia](#)
- [Hypertension](#)
- [Kidney Failure](#)
- [Lymphoma](#)
- [Metabolic Syndrome X](#)
- [Metaplasia](#)
- [Neoplasms](#)
- [Obesity](#)
- [Occupational Diseases](#)
- [Osteoporosis](#)
- [Ovarian Failure](#)
- [Polycystic Ovary Syndrome](#)
- [Puberty](#)
- [Schizophrenia](#)
- [Scoliosis](#)

- [Stroke](#)
- [Testicular Neoplasms](#)
- [Thrombophilia](#)
- [Tobacco Use Disorder](#)