



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Datasheet

Anti-Tremilimumab (Human) ELISA Kit

Hashimoto thyroiditis, celiac disease, systemic lupus erythematosus, thyroid-associated orbitopathy, and other autoimmune diseases. [provided by RefSeq]

Catalog Number: KA7144

Regulation Status: For research use only (RUO)

Product Description: Anti-Tremilimumab (Human) ELISA Kit is a kit used for the quantitative measurement of antibodies to Tremilimumab in human serum and plasma.

Calibration Range: 10 to 640 ng/mL

Suitable Sample: Citrate Plasma, EDTA Plasma, Heparin Plasma, Serum

Sample Volume: 100 uL

Detection Method: Colorimetric

Assay type: Quantitative

Spiking Recovery: 80%-120%

Regulation Status: For research use only (RUO)

Protocols: See our web site at <http://www.abnova.com/support/protocols.asp> or product page for detailed protocols

Storage Instruction: Store the kit at 4°C.

Entrez GeneID: 1493

Gene Symbol: CTLA4

Gene Alias: CD152, CELIAC3, CTLA-4, GSE, IDDM12

Gene Summary: This gene is a member of the immunoglobulin superfamily and encodes a protein which transmits an inhibitory signal to T cells. The protein contains a V domain, a transmembrane domain, and a cytoplasmic tail. Alternate transcriptional splice variants, encoding different isoforms, have been characterized. The membrane-bound isoform functions as a homodimer interconnected by a disulfide bond, while the soluble isoform functions as a monomer. Mutations in this gene have been associated with insulin-dependent diabetes mellitus, Graves disease,