



# SZABO SCANDIC

Part of Europa Biosite

## Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!  
See the following pages for more information!



### Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC Handels GmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

[mail@szabo-scandic.com](mailto:mail@szabo-scandic.com)

[www.szabo-scandic.com](http://www.szabo-scandic.com)

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic)



## Datasheet

### VHH-His tag NanoAb™ Targeting Human IL17 Alpha, clone 1234

**Catalog Number:** NAB00086-M01J

**Regulation Status:** For research use only (RUO)

**Product Description:** VHH-His tag NanoAb™ targeting human IL17 Alpha native protein.

**Clone Name:** 1234

**Immunogen:** Human IL17 Alpha recombinant protein

**Sequence:** Available for licensing

**Antibody Species:** Camelid

**Epitope:** Monospecific

**Tag:** 6x-His Tag at C-terminus

**Conjugation:** Unconjugated

**Affinity:** Not measured

**Form:** Liquid

**Protocols:** See our web site at  
<http://www.abnova.com/support/protocols.asp> or product  
page for detailed protocols

**Conjugation:** Unconjugated

**Preparation Method:** Mammalian cell (HEK293)  
expression system

**Purification:** Ni-IDA (Iminodiacetic acid) resin

**Recommend Usage:** Flow cytometry  
ELISA

The optimal working dilution should be determined by  
the end user.

**Storage Buffer:** In PBS, pH 7.4

**Storage Instruction:** Store at -80°C.  
Aliquot to avoid repeated freezing and thawing.

**Entrez GeneID:** 3605

**Gene Symbol:** IL17A

**Gene Alias:** CTLA8, IL-17, IL-17A, IL17

**Gene Summary:** The protein encoded by this gene is a proinflammatory cytokine produced by activated T cells. This cytokine regulates the activities of NF-kappaB and mitogen-activated protein kinases. This cytokine can stimulate the expression of IL6 and cyclooxygenase-2 (PTGS2/COX-2), as well as enhance the production of nitric oxide (NO). High levels of this cytokine are associated with several chronic inflammatory diseases including rheumatoid arthritis, psoriasis and multiple sclerosis. [provided by RefSeq]