



# SZABO SCANDIC

Part of Europa Biosite

## Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!  
See the following pages for more information!



### Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

[mail@szabo-scandic.com](mailto:mail@szabo-scandic.com)

[www.szabo-scandic.com](http://www.szabo-scandic.com)

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

## Datasheet

### IL1RAP (Human) Recombinant Protein

**Catalog Number:** P10194

**Regulation Status:** For research use only (RUO)

**Product Description:** Human IL1RAP (Q9NPH3-1, Ser21-Glu359) partial recombinant protein with His-Avi tag at C-terminus expressed in HEK293 cells.

**Sequence:** Ser21-Glu359

**Host:** Human

**Theoretical MW (kDa):** 42

**Protocols:** See our web site at <http://www.abnova.com/support/protocols.asp> or product page for detailed protocols

**Form:** Lyophilized

**Preparation Method:** Mammalian cell (HEK293) expression system

**Purity:** > 95% as determined by Tris-Bis PAGE; > 95% as determined by HPLC

**Endotoxin Level:** < 1 EU per 1 ug of protein (determined by LAL method)

**Recommend Usage:** Biological Activity

ELISA

SEC-HPLC

Tris-Bis PAGE

The optimal working dilution should be determined by the end user.

**Storage Buffer:** Lyophilized from filtered solution in PBS, pH 7.4 (5% trehalose).

**Storage Instruction:** After reconstitution with deionized water to a final concentration more than 100 ug/ml, store at 4°C for 1 week. For long term storage, store at -80°C for 1 year.

Aliquot to avoid repeated freezing and thawing.

**Entrez GeneID:** 3556

**Gene Symbol:** IL1RAP

**Gene Alias:** C3orf13, FLJ37788, IL-1RAcP, IL1R3

**Gene Summary:** Interleukin 1 induces synthesis of acute phase and proinflammatory proteins during infection, tissue damage, or stress, by forming a complex at the cell membrane with an interleukin 1 receptor and an accessory protein. This gene encodes an interleukin 1 receptor accessory protein. Alternative splicing of this gene results in two transcript variants encoding two different isoforms, one membrane-bound and one soluble. [provided by RefSeq]