



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Datasheet

MSLN (Human) Recombinant Protein

Catalog Number: P10338

Regulation Status: For research use only (RUO)

Product Description: Human MSLN recombinant protein with His tag at the C-terminus expressed in CHO cells.

Sequence: Glu296-Gly580

Host: Mammals

Theoretical MW (kDa): 32.99

Protocols: See our web site at <http://www.abnova.com/support/protocols.asp> or product page for detailed protocols

Form: Lyophilized

Preparation Method: Mammalian cell (CHO) expression system

Purity: > 95% by SDS-PAGE

Endotoxin Level: < 0.1 EU per 1 ug as determined by the LAL method.

Recommend Usage: SDS-PAGE
The optimal working dilution should be determined by the end user.

Storage Buffer: Lyophilized from a 0.2 um filtered solution of PBS, pH 7.4.

Storage Instruction: Store at -20°C for 12 months in lyophilized state.
After reconstitution with deionized water, store at -20 or -80°C for 1 month.
Aliquot to avoid repeated freezing and thawing.

Entrez GeneID: 10232

Gene Symbol: MSLN

Gene Alias: CAK1, MPF, SMR

Gene Summary: An antibody that reacts with ovarian cancers and mesotheliomas was used to isolate a cell surface antigen named mesothelin. Although the function of mesothelin is unknown, it may play a role in cellular adhesion and is present on mesothelium, mesotheliomas, and ovarian cancers. This gene encodes a preproprotein that is cleaved into two products, megakaryocyte potentiating factor and mesothelin. Alternative splicing results in multiple transcript variants. [provided by RefSeq]