



# SZABO SCANDIC

Part of Europa Biosite

## Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!  
See the following pages for more information!



### Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC Handels GmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

[mail@szabo-scandic.com](mailto:mail@szabo-scandic.com)

[www.szabo-scandic.com](http://www.szabo-scandic.com)

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

## Datasheet

### KIR3DL3 (Human) Recombinant Protein (Biotin)

**Catalog Number:** P10447

**Regulation Status:** For research use only (RUO)

**Product Description:** Human KIR3DL3 (Q8N743, Glu26-Leu322) partial recombinant protein with His-Avi tag at the C-Terminus expressed in HEK293 cells.

**Sequence:** Glu26-Leu322

**Host:** Human

**Theoretical MW (kDa):** 35.3

**Protocols:** See our web site at <http://www.abnova.com/support/protocols.asp> or product page for detailed protocols

**Form:** Lyophilized

**Conjugation:** Biotin

**Preparation Method:** Mammalian cell (HEK293) expression system

**Purity:** > 95% by Tris-Bis PAGE  
> 95% by HPLC

**Endotoxin Level:** < 0.1 EU per 1 ug as determined by the LAL method.

**Activity:** The affinity constant was 0.254 uM, determined by SPR assay.

**Recommend Usage:** Biological Activity

Tris-Bis PAGE

SEC-HPLC

SPR

The optimal working dilution should be determined by the end user.

**Storage Buffer:** Lyophilized from 0.22 um filtered solution in 20 mM Tris, 150 mM NaCl, 200 mM L-Arginine, pH 8.2. (8% trehalose).

**Storage Instruction:** Store at -20°C for 12 months. After reconstitution, store at 4°C for 2-7 days, or store at

-80°C for 3-6 months.

Aliquot to avoid repeated freezing and thawing.

**Entrez GeneID:** 115653

**Gene Symbol:** KIR3DL3

**Gene Alias:** CD158Z, KIR3DL7, KIR44, KIRC1

**Gene Summary:** Killer cell immunoglobulin-like receptors (KIRs) are transmembrane glycoproteins expressed by natural killer cells and subsets of T cells. The KIR genes are polymorphic and highly homologous and they are found in a cluster on chromosome 19q13.4 within the 1 Mb leukocyte receptor complex (LRC). The gene content of the KIR gene cluster varies among haplotypes, although several "framework" genes are found in all haplotypes (KIR3DL3, KIR3DP1, KIR3DL4, KIR3DL2). The KIR proteins are classified by the number of extracellular immunoglobulin domains (2D or 3D) and by whether they have a long (L) or short (S) cytoplasmic domain. KIR proteins with the long cytoplasmic domain transduce inhibitory signals upon ligand binding via an immune tyrosine-based inhibitory motif (ITIM), while KIR proteins with the short cytoplasmic domain lack the ITIM motif and instead associate with the TYRO protein tyrosine kinase binding protein to transduce activating signals. The ligands for several KIR proteins are subsets of HLA class I molecules; thus, KIR proteins are thought to play an important role in regulation of the immune response. This gene is one of the "framework" loci that is present on all haplotypes. [provided by RefSeq]