



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Datasheet

TNFSF13B (Human) Recombinant Protein

Catalog Number: P10569

Regulation Status: For research use only (RUO)

Product Description: Human TNFSF13B partial recombinant protein with His tag expressed in CHO cells.

Sequence:

AVQGPEETVTQDCLQLIADSETPTIQKGSYTFVPWLLS
FKRGSAL EEKENKILVKETGYFFIYGQVLYTDKTYAMG
HLIQRKKVHVFGDELSLVTFRCIQNMPETLPNNSCYS
AGIAKLEEGDELQLAIPRENAQISLDGDVTFFGALKLL

Host: Mammals

Theoretical MW (kDa): 17.87

Protocols: See our web site at
<http://www.abnova.com/support/protocols.asp> or product
page for detailed protocols

Form: Lyophilized

Preparation Method: Mammalian cell (CHO)
expression system

Purification: Ni-NTA chromatography

Purity: > 95% by SDS-PAGE

Endotoxin Level: < 0.1 EU/ ug of protein by the LAL
method.

Recommend Usage: SDS-PAGE
The optimal working dilution should be determined by
the end user.

Storage Buffer: Lyophilized from filtered PBS, pH 7.4.

Storage Instruction: Store at -20°C for 12 months in
lyophilized state.
After reconstitution with deionized water, store at -20 or
-80°C for 1 month.
Aliquot to avoid repeated freezing and thawing.

Entrez GeneID: 10673

Gene Symbol: TNFSF13B

Gene Alias: BAFF, BLYS, CD257, DTL, TALL-1, TALL1,
THANK, TNFSF20, ZTNF4

Gene Summary: The protein encoded by this gene is a
cytokine that belongs to the tumor necrosis factor (TNF)
ligand family. This cytokine is a ligand for receptors
TNFRSF13B/TACI, TNFRSF17/BCMA, and
TNFRSF13C/BAFFR. This cytokine is expressed in B
cell lineage cells, and acts as a potent B cell activator. It
has been also shown to play an important role in the
proliferation and differentiation of B cells. [provided by
RefSeq]