



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC Handels GmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic)



Datasheet

GDF15 (Human) Recombinant Protein

Catalog Number: P8699

Regulation Status: For research use only (RUO)

Product Description: Human GDF15 partial recombinant protein with His tag in N-terminus expressed in *Escherichia coli*.

Sequence:

MRGSHHHHHHGMASMTGGQQMGRDLYDDDDKDRW
GSMARARNGDHCPLGPGRCRLHTVRASLEDLGWA
DWLSPREVQVTMCIGACPSQFRAANMHAQIKTSLHR
LKPDTVPAPCCVPASYNPMVLIQKTDGTGVSLLQTYDDL
AKDCHCI

Host: *Escherichia coli*

Theoretical MW (kDa): 16.7

Protocols: See our web site at
<http://www.abnova.com/support/protocols.asp> or product
page for detailed protocols

Form: Liquid

Preparation Method: *Escherichia coli* expression
system

Purification: chromatographic

Purity: > 95% as determined by SDS-PAGE.

Storage Buffer: Solution containing 10mM Sodium
citrate, pH 3.5, 10% glycerol.

Storage Instruction: Store at 4°C for 2-4 weeks and
should be stored at -20°C to -80°C. For long term
storage it is recommended to add a carrier protein (0.1%
HSA or BSA).
Avoid repeated freeze/thaw cycles.

Entrez GeneID: 9518

Gene Symbol: GDF15

Gene Alias: GDF-15, MIC-1, MIC1, NAG-1, PDF, PLAB,
PTGFB

Gene Summary: Bone morphogenetic proteins (e.g., BMP5; MIM 112265) are members of the transforming growth factor-beta (see TGFB1; MIM 190180) superfamily and regulate tissue differentiation and maintenance. They are synthesized as precursor molecules that are processed at a dibasic cleavage site to release C-terminal domains containing a characteristic motif of 7 conserved cysteines in the mature protein.[supplied by OMIM]