



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic)



Datasheet

KITLG (Human) Recombinant Protein

Catalog Number: P9178

Regulation Status: For research use only (RUO)

Product Description: Human KITLG recombinant protein expressed in *Escherichia coli*.

Host: *Escherichia coli*

Theoretical MW (kDa): 18.4

Protocols: See our web site at
<http://www.abnova.com/support/protocols.asp> or product
page for detailed protocols

Form: Lyophilized

Preparation Method: *Escherichia coli* expression
system

Purification: chromatographic

Purity: > 98% as determined by (a) SEC-HPLC.(b) SDS-
PAGE.

Activity: ED₅₀ < 2 ng/mL, determined by the dose-
dependant stimulation of Human TF-1 cells,
corresponding to a specific activity of 5 x 10⁵ IU/mg.

Storage Buffer: Protein (1 mg/mL) was lyophilized from
a solution containing 0.02% NaHCO₃. Reconstitute the
lyophilized powder in ddH₂O to 100 ug/mL.

Storage Instruction: Lyophilized protein at room
temperature for 3 weeks, should be stored at -20°C.
Protein aliquots at 4°C for 2-7 days and should be stored
at -20°C to -80°C. For long term storage it is
recommended to add a carrier protein (0.1% HSA or
BSA).
Avoid repeated freeze/thaw cycles.

Entrez GeneID: 4254

Gene Symbol: KITLG

Gene Alias: DKFZp686F2250, KL-1, Kitl, MGF, SCF,
SF, SHEP7

Gene Summary: This gene encodes the ligand of the
tyrosine-kinase receptor encoded by the KIT locus. This
ligand is a pleiotropic factor that acts in utero in germ cell
and neural cell development, and hematopoiesis, all
believed to reflect a role in cell migration. In adults, it
functions pleiotropically, while mostly noted for its
continued requirement in hematopoiesis. Two transcript
variants encoding different isoforms have been found for
this gene. [provided by RefSeq]