



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC Handels GmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Datasheet

CD209 (Human) Recombinant Protein

Catalog Number: P9353

Regulation Status: For research use only (RUO)

Product Description: Human CD209 partial recombinant protein with hlgG-His tag in C-terminus expressed in Baculovirus cells.

Sequence:

ADPVSKVPSSISQEQSRQDAIYQNLTLKAAVGELSEK
SKLQEIQELTQLKAAVGELPEKSKLQEIQELTRLKAA
VGELPEKSKLQEIQELTWLKA AVGELPEKSKMQEIYQ
ELTRLKAAVGELPEKSKQEQEIYQELTRLKAAVGELPEK
SKQEQEIYQELTRLKAAVGELPEKSKQEQEIYQELTQLKA
AVERLCHPCPWEWTFQGNCFMSNSQRNWHDSITA
CKEVGAQLVVIKSAEEQNFLQLQSSRSNRFTWMGLSD
LNQEGTWQWVDGSPLLPSFKQYWNRGEPNNVGEED
CAEFGNGWNDDKCNLAKFWICKKSAASCSRDEEQF
LSPAPATPNPPPAVEPKSCDKTHTCPPCPAPPELLGGP
SVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFN
WYVDGVEVHNAKTKPREEQYNSTYRVVSVLTVLHQD
WLNQKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYT
LPPSRDELTKNQVSLTCLVKGFYPSDIAVEWESNGQP
ENNYKTTTPVLDSGFFLYSKLTVDKSRWQQGNVFS
CSVMHEALHNHYTQKSLSLSPGKHHHHHH

Host: Viruses

Theoretical MW (kDa): 66.5

Protocols: See our web site at
<http://www.abnova.com/support/protocols.asp> or product
page for detailed protocols

Form: Liquid

Preparation Method: Baculovirus expression system

Purification: chromatographic

Purity: > 90% as determined by SDS-PAGE.

Storage Buffer: Solution (0.25 mg/mL) containing 1X
PBS, pH 7.4, 10% glycerol.

Storage Instruction: Store at 4°C for one weeks and

should be stored at -20°C to -80°C. For long term
storage it is recommended to add a carrier protein (0.1%
HSA or BSA).

Avoid repeated freeze/thaw cycles.

Entrez GeneID: 30835

Gene Symbol: CD209

Gene Alias: CDSIGN, CLEC4L, DC-SIGN, DC-SIGN1,
MGC129965

Gene Summary: This gene encodes a transmembrane
receptor and is often referred to as DC-SIGN because of
its expression on the surface of dendritic cells and
macrophages. The encoded protein is involved in the
innate immune system and recognizes numerous
evolutionarily divergent pathogens ranging from
parasites to viruses with a large impact on public health.
The protein is organized into three distinct domains: an
N-terminal transmembrane domain, a tandem-repeat
neck domain and C-type lectin carbohydrate recognition
domain. The extracellular region consisting of the C-type
lectin and neck domains has a dual function as a
pathogen recognition receptor and a cell adhesion
receptor by binding carbohydrate ligands on the surface
of microbes and endogenous cells. The neck region is
important for homo-oligomerization which allows the
receptor to bind multivalent ligands with high avidity.
Variations in the number of 23 amino acid repeats in the
neck domain of this protein are rare but have a
significant impact on ligand binding ability. This gene is
closely related in terms of both sequence and function to
a neighboring gene (GeneID 10332; often referred to as
L-SIGN). DC-SIGN and L-SIGN differ in their ligand-
binding properties and distribution. Alternative splicing
results in multiple variants]