



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Datasheet

MFAP2 (Human) Recombinant Protein

Catalog Number: P9402

Regulation Status: For research use only (RUO)

Product Description: Human MFAP2 (P55001, 18 a.a. - 183 a.a.) partial recombinant protein with His tag at N-terminus expressed in *Escherichia coli*.

Sequence:

MGSSHHHHHSSGLVPRGSHMGSMQGQYDLPLPP
FPDHVQYTHYSDQIDNPDYYDYQEVTPRPSEEQFQFQ
SQQQVQQEVIPAPTPEPGNAELEPTEGPLDCREEQY
PCTRLYSIHRPCKQCLNEVCFYSLRRVYVINKEICVRTV
CAHEELLRADLCRDKFSKCGVMASGLCQSVAASCA
RSCGSC

Host: *Escherichia coli*

Theoretical MW (kDa): 21.5

Protocols: See our web site at
<http://www.abnova.com/support/protocols.asp> or product
page for detailed protocols

Form: Liquid

Preparation Method: *Escherichia coli* expression
system

Purity: > 90.0% by SDS-PAGE

Recommend Usage: Biological Activity

SDS-PAGE

The optimal working dilution should be determined by
the end user.

Storage Buffer: In 20mM Tris-HCl pH 8.0 (1 M Urea
and 20% glycerol)

Storage Instruction: Store at 2°C to 8°C for 1 week.
For long term storage, aliquot and store at -20°C to
-80°C.

Aliquot to avoid repeated freezing and thawing.

Entrez GeneID: 4237

Gene Symbol: MFAP2

Gene Alias: MAGP, MAGP-1, MAGP1

Gene Summary: Microfibrillar-associated protein 2 is a
major antigen of elastin-associated microfibrils and a
candidate for involvement in the etiology of inherited
connective tissue diseases. Four transcript variants
encoding two different isoforms have been found for this
gene. [provided by RefSeq]