



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Datasheet

IL21R (Human) Recombinant Protein

Catalog Number: P9993

Regulation Status: For research use only (RUO)

Product Description: Human IL21R (NP_068570.1, Cys20-Pro236) partial recombinant protein with hFc tag at C-terminus expressed in HEK293 cells.

Sequence: Cys20-Pro236

Host: Human

Theoretical MW (kDa): 51.8 kDa
Due to g

Protocols: See our web site at
<http://www.abnova.com/support/protocols.asp> or product
page for detailed protocols

Form: Lyophilized

Preparation Method: Mammalian cell (HEK293)
expression system

Purity: > 95% as determined by Tris-Bis PAGE; > 95%
as determined by HPLC

Endotoxin Level: < 1 EU per 1 ug of protein
(determined by LAL method)

Recommend Usage: Biological Activity

ELISA

Tris-Bis PAGE

The optimal working dilution should be determined by
the end user.

Storage Buffer: Lyophilized from filtered solution in
PBS, pH 7.4 (5% trehalose).

Storage Instruction: After reconstitution with deionized
water to a final concentration more than 100 ug/ml, store
at 4°C for 1 week. For long term storage, store at -80°C
for 1 year.

Aliquot to avoid repeated freezing and thawing.

Entrez GeneID: 50615

Gene Symbol: IL21R

Gene Alias: MGC10967, NILR

Gene Summary: The protein encoded by this gene is a cytokine receptor for interleukin 21 (IL21). It belongs to the type I cytokine receptors, and has been shown to form a heterodimeric receptor complex with the common gamma-chain, a receptor subunit also shared by the receptors for interleukin 2, 4, 7, 9, and 15. This receptor transduces the growth promoting signal of IL21, and is important for the proliferation and differentiation of T cells, B cells, and natural killer (NK) cells. The ligand binding of this receptor leads to the activation of multiple downstream signaling molecules, including JAK1, JAK3, STAT1, and STAT3. Knockout studies of a similar gene in mouse suggest a role for this gene in regulating immunoglobulin production. Three alternatively spliced transcript variants encoding the same protein have been described. [provided by RefSeq]