



# SZABO SCANDIC

Part of Europa Biosite

## Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!  
See the following pages for more information!



### Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

[mail@szabo-scandic.com](mailto:mail@szabo-scandic.com)

[www.szabo-scandic.com](http://www.szabo-scandic.com)

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

## Datasheet

### **SARS-CoV-2 S RBD IgG IgM recombinant human antibody, clone 1H2 + 4H3**

**Storage Instruction:** Store at -20°C for long term storage.

Aliquot to avoid repeated freezing and thawing.

**Catalog Number:** RAB01039

**Regulatory Status:** For research use only (RUO)

**Product Description:** Recombinant human antibody raised against partial recombinant SARS-CoV-2 S RBD.

**Clone Name:** 1H2 + 4H3

**Immunogen:** Original antibody is raised against recombinant protein corresponding to SARS-CoV-2 S RBD.

**Host:** Human

**Reactivity:** Human

**Applications:** LFIA

(See our web site product page for detailed applications information)

**Protocols:** See our web site at <http://www.abnova.com/support/protocols.asp> or product page for detailed protocols

**Specificity:** This antibody can target SARS-CoV-2 spike RBD IgG and SARS-CoV-2 spike RBD IgM.

**Form:** Liquid

**Purification:** Protein A purification

**Purity:** > 95% by HPLC & SDS-PAGE.

**Isotype:** IgG; IgM

**Recommend Usage:** Lateral-Flow

Immunochemical Assay (This product is the prepared positive control for the assay.) (Once the rapid test card is ready, pipette 10 uL of such product, then add 100 uL of sample diluent buffer into the sample hole for control (10 uL/test).)

The optimal working dilution should be determined by the end user.

**Storage Buffer:** In 0.01 M PBS.