



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0


F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

BR809 : Breast invasive lobular carcinoma tissue array with adjacent normal tissue, 79 cases/80 cores

Microarray Panel	Breast cancer and normal tissue microarray, containing 70 cases of infiltrating lobular carcinoma, 10 cases of matched or unmatched adjacent normal tissue, single core per case	
Cores	80	BR809 H&E 
Cases	79	
Row number	8	
Column number	10	
Core Diameter (mm)	1.5	
Thickness (µm)	5	
Quality Control	Anti-Actin confirmed	
Tissue Array Type	FFPE	
Species	Human	
Applications	Routine histology procedures including Immunohistochemistry (IHC) and In Situ Hybridization (ISH), protocols which can be found at our support page.	
Notes	1. TMA slides were sectioned and stored at 4°C and may not be fresh cut, but still suitable for IHC. Please request fresh cut if experiment involves phospho-specific antibodies, RNA studies, FISH or ISH, etc. A minimum of 3 slides per TMA must be purchased to cover the cost of trimming for fresh sectioning. 2. Most TMA slides were not coated with an extra layer of paraffin (tissue cores can be easily seen on the glass). To prevent tissue detachment during antigen retrieval, unbaked slides must be baked for at least 30 to 120 minutes at 60°C. before putting into xylene for de-paraffinization. Baked slides were sent out baked for 2 hours. In the following specsheets, “*” means invalid core; “-” means no applicable or negative in IHC markers.	

	1	2	3	4	5	6	7	8	9	10
A	Bre	Bre	Bre	Bre	Bre	Bre	Bre	Bre	Bre	Bre
B	Bre	Bre	Bre	Bre	Bre	Bre	Bre	Bre	Bre	Bre
C	Bre	Bre	Bre	Bre	Bre	Bre	Bre	Bre	Bre	Bre
D	Bre	Bre	Bre	Bre	Bre	Bre	Bre	Bre	Bre	Bre
E	Bre	Bre	Bre	Bre	Bre	Bre	Bre	Bre	Bre	Bre
F	Bre	Bre	Bre	Bre	Bre	Bre	Bre	Bre	Bre	Bre
G	Bre	Bre	Bre	Bre	Bre	Bre	Bre	Bre	Bre	Bre
H	Bre	Bre	Bre	Bre	Bre	Bre	Bre	Bre	Bre	Ski

Legend:

Bre - Breast

● - Malignant tumor, ● - Normal tissue

, tissue IDs are available in exported Excel files.

Pos.	No.	Age	Sex	Organ/Anatomic Site	Pathology diagnosis	TNM	Grade	Stage	Type	Image
A1	1	46	F	Breast	Infiltrating lobular carcinoma				malignant	
A2	2	40	F	Breast	Infiltrating lobular carcinoma				malignant	
A3	3	50	F	Breast	Infiltrating lobular carcinoma				malignant	
A4	4	50	F	Breast	Infiltrating lobular carcinoma				malignant	
A5	5	47	F	Breast	Infiltrating lobular carcinoma				malignant	
A6	6	47	F	Breast	Infiltrating lobular carcinoma (breast tissue)				malignant	
A7	7	64	F	Breast	Infiltrating lobular carcinoma				malignant	
A8	8	48	F	Breast	Infiltrating lobular carcinoma with hyperplasia of ductal epithelium				malignant	
A9	9	46	F	Breast	Infiltrating lobular carcinoma				malignant	
A10	10	45	F	Breast	Infiltrating lobular carcinoma				malignant	
B1	11	59	F	Breast	Infiltrating lobular carcinoma				malignant	
B2	12	48	F	Breast	Infiltrating lobular carcinoma				malignant	
B3	13	41	F	Breast	Infiltrating lobular carcinoma (sparse)				malignant	
B4	14	74	F	Breast	Infiltrating lobular carcinoma				malignant	
B5	15	44	F	Breast	Carcinoma (sparse)				malignant	
B6	16	63	F	Breast	Infiltrating lobular carcinoma				malignant	
B7	17	39	F	Breast	Infiltrating lobular carcinoma				malignant	
B8	18	39	F	Breast	Carcinoma (sparse)				malignant	
B9	19	55	F	Breast	Infiltrating lobular carcinoma				malignant	
B10	20	58	F	Breast	Infiltrating lobular carcinoma				malignant	
C1	21	50	F	Breast	Infiltrating lobular carcinoma				malignant	
C2	22	47	F	Breast	Lobular carcinoma in situ				malignant	

C3	23	49	F	Breast	Infiltrating lobular carcinoma				malignant	
C4	24	52	F	Breast	Infiltrating lobular carcinoma				malignant	
C5	25	68	F	Breast	Infiltrating lobular carcinoma				malignant	
C6	26	50	F	Breast	Infiltrating lobular carcinoma with hyperplasia of ductal epithelium				malignant	
C7	27	41	F	Breast	Infiltrating lobular carcinoma				malignant	
C8	28	49	F	Breast	Infiltrating lobular carcinoma				malignant	
C9	29	58	F	Breast	Infiltrating lobular carcinoma				malignant	
C10	30	35	F	Breast	Infiltrating lobular carcinoma				malignant	
D1	31	53	F	Breast	Infiltrating lobular carcinoma				malignant	
D2	32	53	F	Breast	Infiltrating lobular carcinoma				malignant	
D3	33	37	F	Breast	Infiltrating lobular carcinoma				malignant	
D4	34	39	F	Breast	Infiltrating lobular carcinoma				malignant	
D5	35	42	F	Breast	Infiltrating lobular carcinoma				malignant	
D6	36	72	F	Breast	Infiltrating lobular carcinoma				malignant	
D7	37	39	F	Breast	Infiltrating lobular carcinoma				malignant	
D8	38	64	F	Breast	Infiltrating lobular carcinoma				malignant	
D9	39	52	F	Breast	Infiltrating lobular carcinoma				malignant	
D10	40	58	F	Breast	Infiltrating lobular carcinoma				malignant	
E1	41	49	F	Breast	Infiltrating lobular carcinoma				malignant	
E2	42	63	F	Breast	Infiltrating lobular carcinoma				malignant	
E3	43	52	F	Breast	Infiltrating lobular carcinoma				malignant	
E4	44	40	F	Breast	Infiltrating lobular carcinoma				malignant	
E5	45	39	F	Breast	Infiltrating lobular carcinoma				malignant	
E6	46	43	F	Breast	Infiltrating lobular carcinoma				malignant	
E7	47	56	F	Breast	Infiltrating lobular carcinoma				malignant	
E8	48	38	F	Breast	Infiltrating lobular carcinoma				malignant	
E9	49	58	F	Breast	Infiltrating lobular carcinoma				malignant	
E10	50	44	F	Breast	Infiltrating lobular carcinoma				malignant	
F1	51	52	F	Breast	Infiltrating lobular carcinoma				malignant	
F2	52	71	F	Breast	Infiltrating lobular carcinoma				malignant	
F3	53	46	F	Breast	Infiltrating lobular carcinoma				malignant	
F4	54	53	F	Breast	Infiltrating lobular carcinoma				malignant	
F5	55	49	F	Breast	Infiltrating lobular carcinoma				malignant	
F6	56	39	F	Breast	Infiltrating lobular carcinoma				malignant	
F7	57	49	F	Breast	Infiltrating lobular carcinoma				malignant	
F8	58	47	F	Breast	Infiltrating lobular carcinoma				malignant	
F9	59	70	F	Breast	Infiltrating lobular carcinoma				malignant	
F10	60	67	F	Breast	Infiltrating lobular carcinoma				malignant	
G1	61	42	F	Breast	Infiltrating lobular carcinoma				malignant	
G2	62	47	F	Breast	Infiltrating lobular carcinoma				malignant	
G3	63	45	F	Breast	Infiltrating lobular carcinoma				malignant	
G4	64	48	F	Breast	Infiltrating lobular carcinoma				malignant	
G5	65	55	F	Breast	Infiltrating lobular carcinoma				malignant	
G6	66	46	F	Breast	Infiltrating lobular carcinoma				malignant	
G7	67	49	F	Breast	Infiltrating lobular carcinoma				malignant	
G8	68	53	F	Breast	Infiltrating lobular carcinoma				malignant	
G9	69	33	F	Breast	Infiltrating lobular carcinoma				malignant	
G10	70	40	F	Breast	Infiltrating lobular carcinoma				malignant	
H1	71	59	F	Breast	Cancer adjacent normal breast tissue				normal	
H2	72	57	F	Breast	Cancer adjacent normal breast tissue (spars e)				normal	
H3	73	40	F	Breast	Cancer adjacent normal breast tissue (hyalini zation of fibrous tissue and blood vessel)				normal	
H4	74	32	F	Breast	Cancer adjacent normal breast tissue (fatty tis sue)				normal	
H5	75	20	F	Breast	Cancer adjacent normal breast tissue (hyalini zation of fibrous tissue and blood vessel)				normal	
H6	76	47	F	Breast	Cancer adjacent normal breast tissue (degen eration of breast tissue)				normal	
H7	77	48	F	Breast	Cancer adjacent normal breast tissue				normal	
H8	78	72	F	Breast	Cancer adjacent normal breast tissue of No.0 7				normal	
H9	79	31	F	Breast	Cancer adjacent normal breast tissue (hyalini zation of fibrous tissue and blood vessel)				normal	
H10	80	34	F	Breast	Cancer adjacent normal breast tissue				normal	
-	0	58	M	Skin	Malignant melanoma (tissue marker)		-		Malignant	

AMSBIO | www.amsbio.com | info@amsbio.com

AMSBIO LLC
USA & Canada

1035 Cambridge Street,
Cambridge, MA 02141
T: +1 (617) 945-5033 or
T: +1 (800) 987-0985
F: +1 (617) 945-8218

AMSBIO Europe BV
EU

Berenkoog 41,
1822 BH Alkmaar,
Netherlands
T: +31 (0) 72 8080244
F: +31 (0) 72 8080142

AMS Biotechnology (Europe) Ltd
UK & Rest of the World

184 Park Drive, Milton Park
Abingdon OX14 4SE
T: +44 (0) 1235 828 200
F: +44 (0) 1235 820 482

AMS Biotechnology (Europe) Ltd
Switzerland

Via Lisano 3,
(CP.683)
CH-6900 Massagno
T: +41 (0) 91 604 55 22
F: +41 (0) 91 605 17 85

AMSBIO Europe BV
Deutschland

T: +49 (0) 69 779099
F: +49 (0) 69 13376880