

# Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



# Lieferung & Zahlungsart

siehe unsere Liefer- und Versandbedingungen

# Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

linkedin.com/company/szaboscandic in



#### Data Sheet

# **Human Lung cDNA Random Primer**

Catalog #: PID-601-HR Quantity: 30 Reactions

**Storage Conditions:** Store at -20oC. It is good for one year of the date of purchase if stored properly.

**Applications:** The cDNA is primed with random primer and is ideal for gene expression analysis by PCR, characterization of alternative splicing of mRNA, and Gene cloning and target sequencing.

Quality Control: The PCR-Ready cDNA is functionally tested with the control primers in the recommended PCR reaction.

**Description:** The PCR-ready first strand cDNA is synthesized from high quality RNA isolated from adult human normal healthy tissues. Total RNA used for cDNA synthesis is isolated by modified guanidine thiocyanate techniques and treated with RNase-free DNase. The total RNA was primed with random primer and reverse transcribed by a reverse transcriptase enable synthesis of full length cDNA up to 8.9kb. Use μl cDNA for each PCR reaction.

The amplification conditions used for amplification of beta-actin as a positive control in a volume of 100ul:

cDNA	1μl
10X polymerase reaction buffer	$10\mu l$
MgCl <sub>2</sub> , 25mM (2nM final)	7.8µl
Nucleotide Mix, 10mM (0.2mM final)	$2.0\mu l$
Upstream beta-Actin primer (100μM)	1μl
Downstream beta-Actin primer (100µM)	$1\mu l$
Taq Polymerase (5 units)	1µl
Water	<u>76.2μ1</u>
	100µl

#### Program of amplification:

Denaturation 94°c for 2 minutes

25 cycles:

Denaturation 94°c for 1 minute
Annealing 60°c for 1 minute
Extension 72°c for 2 minutes

Final extension 7

72°c for 5 min

Hold 4°c

Intended use of the products: All products sold by AMSBIO are intended for research use only and must not be used for medical diagnostic or drug purposes. AMSBIO products may not resell, modified for resale or used to manufacture commercial products without written approval from AMSBIO. Limited product warranty: AMSBIO has a total quality assurance policy. If any product does not meet the specification stated in the product data sheet will be replaced at no charge. This warranty limits AMSBIO liability to the replacement of the product only. No other warranties of any kind, express or implied, including without limitation, implied warranties of merchantability or fitness for a particular purpose, are provided by AMSBIO. AMSBIO shall not liable for any incidental, indirect, special or consequential damages, even if it is aware of the possibility of such damages.

AMSBIO | www.amsbio.com | info@amsbio.com



184 Park Drive, Milton Park Abingdon OX14 4SE T: +44 (0) 1235 828 200 F: +44 (0) 1235 820 482

