



**SZABO
SCANDIC**

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

linkedin.com/company/szaboscandic



Mouse C57 Intestine - Duodenum Frozen Sections

Catalog #: MF-307-C57

Quantity: 10 slides

Storage Conditions: Keep at -20°C for short-term storage and at -70°C for long-term storage in a tightly closed box or sealed bag. Sections are good for up to 1 year of the date of purchase if stored correctly.

Applications: Mouse frozen tissue sections are ideal for:

- Cellular localization of the protein of interest by immunohistochemistry.
- Cellular localization of the mRNA of interest by *in situ* hybridization or *in situ* PCR using both radioactive- and non-radioactive-labeled probes.

Description: Duodenum tissue was freshly harvested from C57BL/6 mice and snap frozen in O.C.T. freezing medium. Frozen tissues are cut at a thickness of 7 microns and mounted on to normal glass coverslips. All tissue preparation steps from harvesting to frozen in O.C.T. are done in RNase-, DNase-, and protease-free conditions.

Shipping: Slides are shipped for O/N delivery on dry ice in a slide mailer or slide box.

Prior to use: Remove slide box/slide mailer from the freezer (don't open) and warm-up to the room temperature for at least 30 minutes. This step is necessary for prevention of water condensation on the slides. After opening the slide box or slide mailer, it is also recommended to leave slides at room temperature for an additional 10-15 minutes. Restore unused slides in the freezer as described above.

Tissues are not yet fixed and need to be fixed in one of the following fixatives depending on your applications: ice-cold acetone, ethanol, 4% paraformaldehyde, 10% buffered neutral formalin, or any other fixatives recommended for frozen tissue sections.

AMSBIO | www.amsbio.com | info@amsbio.com

 **UK & Rest of the World**
184 Park Drive, Milton Park
Abingdon OX14 4SE, U.K.
T: +44 (0) 1235 828 200
F: +44 (0) 1235 820 482

 **North America**
1035 Cambridge Street,
Cambridge, MA 02141.
T: +1 (617) 945-5033 or
T: +1 (800) 987-0985
F: +1 (617) 945-8218

 **Germany**
Bockenheimer Landstr. 17/19
60325 Frankfurt/Main
T: +49 (0) 69 779099
F: +49 (0) 69 13376880

 **Switzerland**
Via Lisano 3
(CP.683)
6900 Massagno
T: +41 (0) 91 604 55 22
F: +41 (0) 91 605 17 85