



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com


www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

UT242a : Endometrium cancer tissue array, with normal tissue, including TNM and pathology grade, 24 cases/24 cores

Microarray Panel	Endometrium carcinoma tissue microarray, containing 18 cases of adenocarcinoma and 6 normal tissue, single core per case,	
Cores	24	
Cases	24	
Row number	4	
Column number	6	
Core Diameter (mm)	2	
Thickness (µm)	5	
Tissue Array Type	FFPE	
Species	Human	
Applications	Routine histology procedures including Immunohistochemistry (IHC) and In Situ Hybridization (ISH), protocols which can be found at our support page.	
Notes	1. TMA slides were sectioned and stored at 4°C and may not be fresh cut, but still suitable for IHC. Please request fresh cut if experiment involves phospho-specific antibodies, RNA studies, FISH or ISH, etc. A minimum of 3 slides per TMA must be purchased to cover the cost of trimming for fresh sectioning. 2. Most TMA slides were not coated with an extra layer of paraffin (tissue cores can be easily seen on the glass). To prevent tissue detachment during antigen retrieval, unbaked slides must be baked for at least 30 to 120 minutes at 60°C. before putting into xylene for de-paraffinization. Baked slides were sent out baked for 2 hours. In the following specsheet, "*" means invalid core; "-" means no applicable or negative in IHC markers.	

Mouseover and click individual cores to view high resolution images.



Legend:

 - Malignant tumor,
  - Malignant tumor (stage I),
  - Malignant tumor (stage II),
  - Malignant tumor (stage IIIc),
  - Malignant tumor (stage IVa),
  - Malignant tumor (stage Ia),
  - Malignant tumor (stage Ib),
  - Malignant tumor (stage Ic),
  - Normal tissue

, tissue IDs are available in exported Excel files.

Pos.	No.	Age	Sex	Organ/Anatomic Site	Pathology diagnosis	TNM	Grade	Stage	Type	Notes	Image
A1	1	42	F		Endometrioid adenocarcinoma	T1N0M0	2	I	malignant		
A2	2	62	F		Endometrioid adenocarcinoma	T1N0M0	2	I	malignant		
A3	3	59	F		Endometrioid adenocarcinoma (smooth muscle)	T1bN0M0	-	Ib	malignant		
A4	4	61	F		Endometrioid adenocarcinoma	T1cN0M0	2	Ic	malignant		
A5	5	43	F		Endometrioid adenocarcinoma	T4N0M0	2	IVa	malignant		
A6	6	45	F		Endometrioid adenocarcinoma	T2N0M0	2	II	malignant		
B1	7	64	F		Endometrioid adenocarcinoma	T1aN0M0	2	Ia	malignant		
B2	8	59	F		Endometrioid adenocarcinoma	T3N1M0	2	IIIc	malignant		
B3	9	48	F		Endometrioid adenocarcinoma	T1N0M0	2-3	I	malignant		
B4	10	56	F		Endometrioid adenocarcinoma	T1N0M0	2	I	malignant		
B5	11	61	F		Endometrioid adenocarcinoma	T1bN0M0	3	Ib	malignant		
B6	12	43	F		Endometrioid adenocarcinoma	T1N0M0	2	I	malignant		
C1	13	23	F		Endometrioid adenocarcinoma	T3N1M0	2	IIIc	malignant		
C2	14	56	F		Endometrioid adenocarcinoma	T1N1M0	3	IIIc	malignant		
C3	15	51	F		Endometrioid adenocarcinoma	T1cN0M0	3	Ic	malignant		
C4	16	54	F		Endometrioid adenocarcinoma	T1N0M0	3	I	malignant		
C5	17	50	F		Endometrioid adenocarcinoma	T1N0M0	2	I	malignant		
C6	18	48	F		Endometrioid adenocarcinoma	T2N0M0	2	II	malignant		
D1	19	18	F		Normal endometrium tissue	-	-	-	normal		
D2	20	18	F		Normal endometrium tissue	-	-	-	normal		
D3	21	21	F		Normal endometrium tissue	-	-	-	normal		

D4	22	21	F		Normal endometrium tissue	-	-	-	normal		
D5	23	27	F		Normal endometrium tissue	-	-	-	normal		
D6	24	34	F		Normal endometrium tissue	-	-	-	normal		
-	0	58	M	Skin	Malignant melanoma (tissue marker)		-		Malignant	-	

<											>
---	--	--	--	--	--	--	--	--	--	--	---

TNM grading:

T - Primary tumor

- Tx - Primary tumor cannot be assessed
- T0 - No evidence of primary tumor
- Tis - Carcinoma in situ; intraepithelial or invasion of lamina propria
- T1 - Tumor invades submucosa
- T2 - Tumor invades muscularis propria
- T3 - Tumor invades through muscularis propria into subserosa or into non-peritonealized pericolic or perirectal tissues.
- T4 - Tumor directly invades other organs or structures and/or perforate visceral peritoneum

N - Regional lymph nodes

- Nx - Regional lymph nodes cannot be assessed
- N0 - No regional lymph node metastasis
- N1 - Metastasis in 1 to 3 regional lymph nodes
- N2 - Metastasis in 4 or more regional lymph nodes

M - Distant metastasis

- Mx - Distant metastasis cannot be assessed
- M0 - No distant metastasis
- M1 - Distant metastasis

AMSBIO | www.amsbio.com | info@amsbio.com

**UK & Rest of the World**
184 Park Drive, Milton Park
Abingdon OX14 4SE, U.K.
T: +44 (0) 1235 828 200
F: +44 (0) 1235 820 482

**North America**
1035 Cambridge Street,
Cambridge, MA 02141.
T: +1 (617) 945-5033 or
T: +1 (800) 987-0985
F: +1 (617) 945-8218

**Germany**
Bockenheimer Landstr. 17/19
60325 Frankfurt/Main
T: +49 (0) 69 779099
F: +49 (0) 69 13376880

**Switzerland**
Via Lisano 3
(CP.683)
6900 Massagno
T: +41 (0) 91 604 55 22
F: +41 (0) 91 605 17 85