



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Product Number	ARP53581_P050-FITC
Product Page	www.avivasysbio.com/crisp1-antibody-n-terminal-region-fitc-arp53581-p050-fitc.html
Name	CRISP1 Antibody - N-terminal region : FITC (ARP53581_P050-FITC)
Protein Size (# AA)	249 amino acids
Molecular Weight	27kDa
Conjugation	FITC: Fluorescein Isothiocyanate
NCBI Gene Id	167
Host	Rabbit
Clonality	Polyclonal
Concentration	0.5 mg/ml
Gene Full Name	Cysteine-rich secretory protein 1
Alias Symbols	ARP, AEGL1, HUMARP, CRISP-1, HEL-S-57, HSCRISP1D, HSCRISP1G
Peptide Sequence	Synthetic peptide located within the following region: ARIFSKYCDMTESNPLERRLPNTFCGENMHMTSYPVSWSSVIGVWYSEST
Product Format	Liquid. Purified antibody supplied in 1x PBS buffer.
Description of Target	Fertilization consists of a sequence of specific cell-cell interactions culminating in the fusion of the sperm and egg plasma membranes. Recognition, binding, and fusion occur through the interaction of complementary molecules that are localized to specific domains of the sperm and egg plasma membranes. In the sperm, the postacrosomal region or equatorial segment is involved in sperm-egg plasma membrane fusion. CRISP1 is a member of the cysteine-rich secretory protein (CRISP) family. It is expressed in the epididymis, is secreted into the epididymal lumen, and binds to the postacrosomal region of the sperm head where it plays a role at fertilization in sperm-egg fusion through complementary sites localized on the egg surface.
Reconstitution and Storage	All conjugated antibodies should be stored in light-protected vials or covered with a light protecting material (i.e. aluminum foil). Conjugated antibodies are stable for at least 12 months at 4C. If longer storage is desired (24 months), conjugates may be diluted with up to 50% glycerol and stored at -20C to -80C. Freezing and thawing conjugated antibodies will compromise enzyme activity as well as antibody binding.
Datasheets/Manuals	Printable datasheet for anti-CRISP1 (ARP53581_P050-FITC) antibody
Blocking Peptide	For anti-CRISP1 (ARP53581_P050-FITC) antibody is Catalog # AAP53581
Uniprot ID	P54107
Protein Name	Cysteine-rich secretory protein 1
Sample Type Confirmation	CRISP1 is strongly supported by BioGPS gene expression data to be expressed in HepG2
Protein Accession #	NP_001122
Purification	Affinity Purified
Nucleotide Accession #	NM_001131
Gene Symbol	CRISP1
Predicted Species Reactivity	Human, Mouse, Rat
Application	WB
Predicted Homology Based on Immunogen Sequence	Human: 100%; Mouse: 77%; Rat: 77%

Image 1



AVIVA SYSTEMS BIOLOGY manufactures and sells quality antibody products covering genome wide proteins.

This product is for Research Use Only. Not for diagnostic, human, or veterinary use.
Optimal conditions of its use should be determined by end users.

AVIVA SYSTEMS BIOLOGY

6370 Nancy Ridge Dr., Suite 104, San Diego, CA 92121 USA | Tel: (858)552-6979 | info@avivasysbio.com