



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

DKKL1 Antibody - C-terminal region : FITC (ARP53695_P050-FITC)

Data Sheet

Product Number	ARP53695_P050-FITC
Product Page	www.avivasysbio.com/dkk1-antibody-c-terminal-region-fitc-arp53695-p050-fitc.html
Name	DKKL1 Antibody - C-terminal region : FITC (ARP53695_P050-FITC)
Protein Size (# AA)	242 amino acids
Molecular Weight	27kDa
Conjugation	FITC: Fluorescein Isothiocyanate
NCBI Gene Id	27120
Host	Rabbit
Clonality	Polyclonal
Concentration	0.5 mg/ml
Gene Full Name	Dickkopf-like 1
Alias Symbols	SGY, CT34, SGY1, SGY-1
Peptide Sequence	Synthetic peptide located within the following region: DALEGGHWLSEKRLRLQAIKGLRKGLKDVLEEGTESSHSRLSPKTH
Product Format	Liquid. Purified antibody supplied in 1x PBS buffer.
Reference	Olsen,J.V., (2006) Cell 127 (3), 635-648
Description of Target	The dickkopf protein family interacts with the Wnt signaling pathway and its members are characterized by two conserved cysteine-rich domains. DKKL1 is a secreted protein that has high similarity to the N-terminus of the dickkopf-3 protein and moderate similarity to that protein's C-terminus though the C-terminal cysteine residues are not conserved. The dickkopf protein family interacts with the Wnt signaling pathway and its members are characterized by two conserved cysteine-rich domains. This gene encodes a secreted protein that has high similarity to the N-terminus of the dickkopf-3 protein and moderate similarity to that protein's C-terminus though the C-terminal cysteine residues are not conserved.
Protein Interactions	C11orf71; FJX1; Hoxa1; SCFD1;
Reconstitution and Storage	All conjugated antibodies should be stored in light-protected vials or covered with a light protecting material (i.e. aluminum foil). Conjugated antibodies are stable for at least 12 months at 4C. If longer storage is desired (24 months), conjugates may be diluted with up to 50% glycerol and stored at -20C to -80C. Freezing and thawing conjugated antibodies will compromise enzyme activity as well as antibody binding.
Datasheets/Manuals	Printable datasheet for anti-DKKL1 (ARP53695_P050-FITC) antibody
Blocking Peptide	For anti-DKKL1 (ARP53695_P050-FITC) antibody is Catalog # AAP53695 (Previous Catalog # AAPP30537)
Immunogen	The immunogen is a synthetic peptide directed towards the C terminal region of human DKKL1
Uniprot ID	Q9UK85
Protein Name	Dickkopf-like protein 1
Protein Accession #	NP_055234
Purification	Affinity Purified
Nucleotide Accession #	NM_014419
Gene Symbol	DKKL1
Predicted Species Reactivity	Human, Rat, Dog
Application	WB
Predicted Homology Based on Immunogen Sequence	Dog: 77%; Human: 100%; Rat: 86%

Image 1



AVIVA SYSTEMS BIOLOGY manufactures and sells quality antibody products covering genome wide proteins.

This product is for Research Use Only. Not for diagnostic, human, or veterinary use.

Optimal conditions of its use should be determined by end users.

AVIVA SYSTEMS BIOLOGY

6370 Nancy Ridge Dr., Suite 104, San Diego, CA 92121 USA | Tel: (858)552-6979 | info@avivasysbio.com