

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere Liefer- und Versandbedingungen

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

linkedin.com/company/szaboscandic in





JAK3 Antibody - middle region : Biotin (ARP54306_P050-Biotin)

Data Sheet

| Product Number | ARP54306_P050-Biotin |
|-------------------------------|---|
| Product Page | www.avivasysbio.com/jak3-antibody-middle-region-biotin-arp54306-p050-biotin.html |
| Name | JAK3 Antibody - middle region : Biotin (ARP54306_P050-Biotin) |
| Protein Size (# AA) | 1124 amino acids |
| Molecular Weight | 125kDa |
| Conjugation | Biotin |
| NCBI Gene Id | 3718 |
| Host | Rabbit |
| Clonality | Polyclonal |
| Concentration | 0.5 mg/ml |
| Gene Full Name | Janus kinase 3 |
| Alias Symbols | JAKL, LJAK, JAK-3, L-JAK, JAK3_HUMAN |
| Peptide Sequence | Synthetic peptide located within the following region: KLLPLDKDYYVVREPGQSPIFWYAPESLSDNIFSRQSDVWSFGVVLYELF |
| Product Format | Liquid. Purified antibody supplied in 1x PBS buffer. |
| Reference | Cheng, H., (2008) Mol. Cell. Biol. 28 (7), 2271-2282 |
| Description of Target | JAK3 is a member of the Janus kinase (JAK) family of tyrosine kinases, which is involved in cytokine receptor-mediated intracellular signal transduction. JAK3 is predominantly expressed in immune cells and transduces a signal in response to its activation via tyrosine phosphorylation by interleukin receptors. Mutations in JAK3 are associated with autosomal SCID (severe combined immunodeficiency disease). The protein encoded by this gene is a member of the Janus kinase (JAK) family of tyrosine kinases involved in cytokine receptor-mediated intracellular signal transduction. It is predominantly expressed in immune cells and transduces a signal in response to its activation via tyrosine phosphorylation by interleukin receptors. Mutations in this gene are associated with autosomal SCID (severe combined immunodeficiency disease). Sequence Note: This RefSeq record was created from transcript and genomic sequence data because no single transcript was available for the full length of the gene. The extent of this transcript is supported by transcript alignments. Publication Note: This RefSeq record includes a subset of the publications that are available for this gene. Please see the Entrez Gene record to access additional publications. |
| Protein Interactions | Socs5; KIT; IL7R; TYK2; STAT6; STAT3; JAK2; JAK1; IL4R; GTF2B; ERBB3; CDK1; CD81; APOA1; UBC; SOCS3; UHRF2; STAT5A; IKBKG; ALK; SH2B2; TIAF1; INPP5D; PTPN2; STAM2; PRMT5; SOCS1; KHDRBS1; STAM; PTK2B; IRS2; SHB; JAK3; IL2RG; VIL1; FES; CD247; PTPN6; PIK3R1 |
| Reconstitution and Storage | All conjugated antibodies should be stored in light-protected vials or covered with a light protecting material (i.e. aluminum foil). Conjugated antibodies are stable for at least 12 months at 4C. If longer storage is desired (24 months), conjugates may be diluted with up to 50% glycerol and stored at -20C to -80C. Freezing and thawing conjugated antibodies will compromise enzyme activity as well as antibody binding. |
| Datasheets/Manuals | Printable datasheet for anti-JAK3 (ARP54306_P050-Biotin) antibody |
| Blocking Peptide | For anti-JAK3 (ARP54306_P050-Biotin) antibody is <u>Catalog # AAP54306</u> (Previous Catalog # AAPP31055) |
| Immunogen | The immunogen is a synthetic peptide directed towards the middle region of human JAK3 |
| Uniprot ID | <u>P52333</u> |
| Protein Name | Tyrosine-protein kinase JAK3 |
| Protein Accession # | <u>NP_000206</u> |
| Purification | Affinity Purified |
| Nucleotide Accession # | NM_000215 |
| Gene Symbol | JAK3 |

| Predicted Species Reactivity | Human, Mouse, Rat, Cow, Dog, Horse, Pig |
|--|--|
| Application | WB |
| Predicted Homology Based on Immunogen Sequence | Cow: 100%; Dog: 93%; Horse: 100%; Human: 100%; Mouse: 100%; Pig: 100%; Rat: 100% |
| Image 1 | |

AVIVA SYSTEMS BIOLOGY manufactures and sells quality antibody products covering genome wide proteins.

This product is for Research Use Only. Not for diagnostic, human, or veterinary use. Optimal conditions of its use should be determined by end users.

AVIVA SYSTEMS BIOLOGY

6370 Nancy Ridge Dr., Suite 104, San Diego, CA 92121 USA | Tel: (858)552-6979 | info@avivasysbio.com