



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Chk1 Antibody

Rabbit Polyclonal

Antigen Affinity Purified Protein ID O14757

Catalog No. A300-298A-T GeneID 1111

Lot No. A300-298A-T-2

APPLICATIONS	WB, IP, IHC
SPECIES REACTIVITY	Human
AMOUNT	10 µl
CONCENTRATION	1000 µg/ml
STORAGE/SHELF LIFE	2 – 8°C / 1 year from date of receipt
PHYSICAL STATE	Liquid
BUFFER	Tris-citrate/phosphate buffer, pH 7 to 8 containing 0.09% Sodium Azide
ISOTYPE	IgG
ORIGIN	USA
PRODUCTION PROCEDURES	Antibody was affinity purified using an epitope specific to Chk1 immobilized on solid support.

The epitope recognized by A300-298A-T maps to a region between residues 250 and 300 of human Checkpoint Kinase 1 using the numbering given in SwissProt entry O14757 (GeneID 1111).

APPLICATIONS Centrifuge tube to remove product from lid. Optimal working dilutions should be determined experimentally by the investigator. Prepare working dilution immediately before use.

Western Blot 1:1,000 – 1:5,000

Immunoprecipitation 2 – 10 µg/mg lysate

Immunohistochemistry 1:1,000 – 1:5,000. Epitope retrieval with Tris-EDTA pH 9.0 is recommended for FFPE tissue sections.

ADDITIONAL INFO <https://www.bethyl.com/product/A300-298A-T>


Use the link above to view SDS, a current list of citations, and other product specific information.

IP-western blot protocol: https://www.bethyl.com/content/protocol_IP_WB


This document certifies that this product has met all of the quality control standards defined by Bethyl Laboratories, Inc.

Michael Spencer, PhD


Date: June 6, 2022



Detection of human Chk1 by western blot. *Samples:* Whole cell lysate (50 µg) from HeLa, HEK293T, Jurkat, and mouse TMCK cells. ***Antibodies:*** Affinity purified rabbit anti-Chk1 antibody A300-298A (lot A300-298A-2) used for WB at 0.4 µg/ml. ***Detection:*** Chemiluminescence with an exposure time of 30 seconds.



Detection of human Chk1 by western blot of immunoprecipitates. *Samples:* Whole cell lysate (1 mg for IP; 20% of IP loaded) from HeLa cells. ***Antibodies:*** Affinity purified rabbit anti-Chk1 antibody A300-298A (lot A300-298A-2) used for IP at 6 µg/mg lysate. Chk1 was also immunoprecipitated by a previous lot (lot A300-298A-1) of this antibody. For blotting immunoprecipitated Chk1, A300-298A-2 was used at 1 µg/ml. ***Detection:*** Chemiluminescence with an exposure time of 30 seconds.



Detection of human CHK1 by immunohistochemistry. *Sample:* FFPE section of human breast carcinoma. ***Antibody:*** Affinity purified rabbit anti-CHK1 (Cat. No. A300-298A Lot2) used at a dilution of 1:1,000 (1 µg/ml). ***Detection:*** DAB