



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

MnSOD Antibody

Goat Polyclonal


Antigen Affinity Purified Protein ID NP_000627.2

Catalog No. A300-448A-T GenelD 6648

Lot No. A300-448A-T-1

APPLICATIONS	WB
SPECIES REACTIVITY	Rat
PRESUMED REACTIVITY	Based on 100% sequence identity, this antibody is predicted to react with Human, Guinea pig_10141, Pig, Monkey and Chimpanzee
AMOUNT	10 µl
CONCENTRATION	1000 µg/ml
STORAGE/SHELF LIFE	2 - 8°C / 1 year from date of receipt
PHYSICAL STATE	Liquid
BUFFER	Tris-citrate/phosphate buffer, pH 7 to 8 containing 0.09% Sodium Azide
ISOTYPE	IgG
ORIGIN	USA
PRODUCTION PROCEDURES	Antibody was affinity purified using an epitope specific to MnSOD immobilized on solid support. The epitope recognized by A300-448A-T maps to a region between residue 75 and 125 of human Manganese Superoxide Dismutase using the numbering given in entry NP_000627.2 (GeneID 6648).
APPLICATIONS	Centrifuge tube to remove product from lid. Optimal working dilutions should be determined experimentally by the investigator. Prepare working dilution immediately before use. Western Blot 1:1,000 - 1:4,000
ADDITIONAL INFO	https://www.bethyl.com/product/A300-448A-T Use the link above to view SDS, a current list of citations, and other product specific information.

This document certifies that this product has met all of the quality control standards defined by Bethyl Laboratories, Inc.
Michael Spencer, PhD Date: June 6, 2022



Detection of MnSOD by western blot. *Samples:* Whole cell lysate (30 μ g) from rat vascular smooth muscle cells left untreated (-) or treated with IL-1 beta (3 ng/ml) for 24 hours. *Antibody:* Affinity purified goat anti-MnSOD (Cat. No. A300-448A) used at 0.4 μ g/ml. *Detection:* Chemiluminescence with 3 minute exposure.