

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere Liefer- und Versandbedingungen

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

linkedin.com/company/szaboscandic in



JIK/TAOK3 Antibody





Rabbit Polyclonal

Antigen Affinity Purified Protein ID NP_057365.2

Catalog No. A300-536A-T GeneID 51347

Lot No. A300-536A-T-3

APPLICATIONS WB, IP

SPECIES REACTIVITY Human, Mouse

PRESUMED REACTIVITY Based on 100% sequence identity, this antibody is predicted to react with Rat and Orangutan

AMOUNT 10 μl

CONCENTRATION 1000 μg/ml

STORAGE/SHELF LIFE 2 – 8°C / 1 year from date of receipt

PHYSICAL STATE Liquid

BUFFER Tris-citrate/phosphate buffer, pH 7 to 8 containing 0.09% Sodium Azide

ISOTYPE IgG
ORIGIN USA

PRODUCTION Antibody was affinity purified using an epitope specific to JIK/TAOK3 immobilized on solid

PROCEDURES support.

The epitope recognized by A300-536A-T maps to a region between residue 850 and the C-terminus (residue 898) of human JNK/SAPK-Inhibitory Kinase (TAO kinase 3) using the

numbering given in entry NP_057365.2 (GeneID 51347).

APPLICATIONS Centrifuge tube to remove product from lid. Optimal working dilutions should be determined

experimentally by the investigator. Prepare working dilution immediately before use.

Western Blot 1:2,000 - 1:10,000

Immunoprecipitation 2 – 10 µg/mg lysate

ADDITIONAL INFO https://www.bethyl.com/product/A300-536A-T


Use the link above to view SDS, a current list of citations, and other product specific information.


IP-western blot protocol: https://www.bethyl.com/content/protocol_IP_WB

This document certifies that this product has met all of the quality control standards defined by Bethyl Laboratories, Inc.

Michael Spencer, PhD

Date: June 6, 2022





Detection of human and mouse JIK/TAOK3 by western blot. Samples: Whole cell lysate (50 μg) from HeLa, HEK293T, and mouse NIH 3T3 cells prepared using NETN lysis buffer. Antibody: Affinity purified rabbit anti-JIK/TAOK3 antibody A300-536A (lot A300-536A-3) used for WB at 0.1 μg/ml. Detection: Chemiluminescence with an exposure time of 3 minutes.

Detection of human JIK/TAOK3 by western blot of immunoprecipitates. Samples: Whole cell lysate (0.5 or 1.0 mg per IP reaction; 20% of IP loaded) from HeLa cells prepared using NETN lysis buffer. Antibody: Affinity purified rabbit anti-JIK/TAOK3 antibody A300-536A (lot A300-536A-3) used for IP at 6 μg per reaction. JIK/TAOK3 was also immunoprecipitated by a previous lot of this antibody (A300-536A-1) and rabbit anti-JIK/TAOK3 antibody A300-535A-1. For blotting immunoprecipitated JIK/TAOK3, A300-536A was used at 1 μg/ml. Detection: Chemiluminescence with an exposure time of 3 minutes.