



# SZABO SCANDIC

Part of Europa Biosite

## Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!  
See the following pages for more information!



### Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

[mail@szabo-scandic.com](mailto:mail@szabo-scandic.com)

[www.szabo-scandic.com](http://www.szabo-scandic.com)

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic)



# Visfatin Antibody

Rabbit Polyclonal

Antigen Affinity Purified

Protein ID NP\_005737.1

Catalog No. A300-779A-T

GeneID 10135

Lot No. A300-779A-T-2

**APPLICATIONS** WB, IP

**SPECIES REACTIVITY** Human

**AMOUNT** 10 µl

**CONCENTRATION** 200 µg/ml

**STORAGE/SHELF LIFE** 2 – 8°C / 1 year from date of receipt

**PHYSICAL STATE** Liquid

**BUFFER** Tris-buffered Saline containing 0.1% BSA and 0.09% Sodium Azide

**ISOTYPE** IgG

**ORIGIN** USA

**PRODUCTION PROCEDURES** Antibody was affinity purified using an epitope specific to Visfatin immobilized on solid support.

The epitope recognized by A300-779A-T maps to a region between residue 450 and the C-terminus (residue 491) of human Visfatin (PBEF/NAMPT) using the numbering given in entry NP\_005737.1 (GeneID 10135).

**APPLICATIONS** Centrifuge tube to remove product from lid. Optimal working dilutions should be determined experimentally by the investigator. Prepare working dilution immediately before use.


Western Blot 1:2,000 – 1:10,000

Immunoprecipitation 2 – 10 µg/mg lysate

**ADDITIONAL INFO** <https://www.fortislife.com/p/A300-779A-T>

Use the link above to view SDS, a current list of citations, and other product specific information.

This document certifies that this product has met all of the quality control standards defined by Bethyl Laboratories, Inc.  
Michael Spencer, PhD Date: August 8, 2022



**Detection of human Visfatin by western blot. *Samples:*** Whole cell lysate (50  $\mu$ g) from MCF-7, K-562, HEK293T, and HeLa cells prepared using NETN lysis buffer. ***Antibody:*** Affinity purified rabbit anti-Visfatin antibody A300-779A-T (lot A300-779A-T-2) used for WB at 1:1000. ***Detection:*** Chemiluminescence with an exposure time of 3 seconds.