



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC Handels GmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

ADAMTS13 Antibody

Goat Polyclonal


Antigen Affinity Purified Protein ID NP_620594.1

Catalog No. A301-001A-T GeneID 11093

Lot No. A301-001A-T-1

APPLICATIONS	IP
SPECIES REACTIVITY	Human
AMOUNT	10 µl
CONCENTRATION	1000 µg/ml
STORAGE/SHELF LIFE	2 – 8°C / 1 year from date of receipt
PHYSICAL STATE	Liquid
BUFFER	Tris-citrate/phosphate buffer, pH 7 to 8 containing 0.09% Sodium Azide
ISOTYPE	IgG
ORIGIN	USA
PRODUCTION PROCEDURES	<p>Antibody was affinity purified using an epitope specific to ADAMTS13 immobilized on solid support.</p> <p>The epitope recognized by A301-001A-T maps to a region between residue 150 and 200 of human ADAM (a disintegrin-like and metalloprotease) metalloproteinase with thrombospondin type 1 motif, 13 using the numbering given in entry NP_620594.1 (GeneID 11093).</p> <p>Immunoglobulin concentration was determined by extinction coefficient: absorbance at 280 nm of 1.4 equals 1.0 mg of IgG.</p>
APPLICATIONS	<p>Centrifuge tube to remove product from lid. Optimal working dilutions should be determined experimentally by the investigator. Prepare working dilution immediately before use.</p> <p>Western Blot Not recommended. Use goat anti-ADAMTS13 antibody A301-002A or A300-003A.</p> <p>Immunoprecipitation 1 – 5 µg/µl serum</p>
ADDITIONAL INFO	<p>https://www.bethyl.com/product/A301-001A-T</p> <p>Use the link above to view SDS, a current list of citations, and other product specific information.</p>

This document certifies that this product has met all of the quality control standards defined by Bethyl Laboratories, Inc.
Michael Spencer, PhD Date: June 6, 2022



Detection of human ADAMTS13 by western blot and immunoprecipitation. *Samples:* Pooled normal human serum (300 µl/IP, 10% of IP loaded; 1.5 µl for input). *Antibodies:* Agarose immobilized goat anti-ADAMTS13 antibodies S300-391, S301-000, S301-001, S301-002 and S301-003 were used at the equivalent of 35 µg of antibody per IP. For blotting immunoprecipitated ADAMTS13, goat anti-ADAMTS13 antibody A300-002A was used at 1 µg/ml. *Detection:* Chemiluminescence with an exposure time of 30 seconds. Note: The anti-ADAMTS13 antibodies A300-391A, A301-000A, A301-001A, A301-002A and A300-003A were conjugated to agarose to produce the agarose immobilized antibodies S300-391, S301-000, S301-001, S301-002 and S301-003, respectively.