



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

SPTBN2/SCA5 Antibody

Rabbit Polyclonal

Antigen Affinity Purified

Protein ID NP_008877.1

Catalog No. A301-116A

GeneID 6712


Lot No. A301-116A-1



| | | | | | |
|-----------------------|--|--------------|--|---------------------|--------------------|
| APPLICATIONS | IP | | | | |
| SPECIES REACTIVITY | Human | | | | |
| AMOUNT | 100 µl | | | | |
| CONCENTRATION | 1000 µg/ml | | | | |
| STORAGE/SHELF LIFE | 2 – 8° C / 1 year from date of receipt | | | | |
| PHYSICAL STATE | Liquid | | | | |
| BUFFER | Tris-citrate/phosphate buffer, pH 7 to 8 containing 0.09% Sodium Azide | | | | |
| ISOTYPE | IgG | | | | |
| ORIGIN | USA | | | | |
| PRODUCTION PROCEDURES | <p>Antibody was affinity purified using an epitope specific to SPTBN2/SCA5 immobilized on solid support.</p> <p>The epitope recognized by A301-116A maps to a region between residue 2150 and 2200 of human spectrin, beta, non-erythrocytic 2 (spinocerebellar ataxia 5) using the numbering given in entry NP_008877.1 (GeneID 6712).</p> <p>Immunoglobulin concentration was determined by extinction coefficient: absorbance at 280 nm of 1.4 equals 1.0 mg of IgG.</p> | | | | |
| APPLICATIONS | <p>Centrifuge tube to remove product from lid. Optimal working dilutions should be determined experimentally by the investigator. Prepare working dilution immediately before use.</p> <table><tr><td>Western Blot</td><td>Not recommended. Use rabbit anti-SPTBN2/SCA5 antibody A301-117A.</td></tr><tr><td>Immunoprecipitation</td><td>2 – 5 µg/mg lysate</td></tr></table> | Western Blot | Not recommended. Use rabbit anti-SPTBN2/SCA5 antibody A301-117A. | Immunoprecipitation | 2 – 5 µg/mg lysate |
| Western Blot | Not recommended. Use rabbit anti-SPTBN2/SCA5 antibody A301-117A. | | | | |
| Immunoprecipitation | 2 – 5 µg/mg lysate | | | | |
| APPLICATION NOTES | Western blot of immunoprecipitates performed using Normal Pig Serum (Cat. No. S100-020), Goat anti-Rabbit Light Chain HRP Conjugate (Cat. No. A120-113P) and 4-8% SDS-PAGE (link to IP-western blot protocol in Additional Info section below). | | | | |
| ADDITIONAL INFO | <p>https://www.bethyl.com/product/A301-116A</p> <p>Use the link above to view SDS, a current list of citations, and other product specific information. IP-western blot protocol: https://www.bethyl.com/content/protocol_IP_WB</p> | | | | |

This document certifies that this product has met all of the quality control standards defined by Bethyl Laboratories, Inc.
Eric McIntush, PhD | Chief Scientific Officer

Date: June 21, 2019



Detection of human SPTBN2/SCA5 by western blot of immunoprecipitates. *Samples:* Whole cell lysate (1 mg for IP, 20% of IP loaded) from HeLa cells. *Antibodies:* Affinity purified rabbit anti-SPTBN2/SCA5 antibody A301-116A used for IP at 3 µg/mg lysate. SPTBN2/SCA5 was also immunoprecipitated by rabbit anti-SPTBN2/SCA5 antibody A301-117A, which recognizes a downstream epitope. For blotting immunoprecipitated SPTBN2/SCA5, A301-117A was used at 1 µg/ml. *Detection:* Chemiluminescence with an exposure time of 30 seconds.