

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere Liefer- und Versandbedingungen

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

linkedin.com/company/szaboscandic in



DDX50 Antibody





Rabbit Polyclonal

Antigen Affinity Purified Protein ID NP_076950.1

Catalog No. A301-312A-T GeneID 79009

Lot No. A301-312A-T-1

APPLICATIONS WB

SPECIES REACTIVITY Human

AMOUNT 10 μl

CONCENTRATION 200 μg/ml

STORAGE/SHELF LIFE 2 – 8°C / 1 year from date of receipt

PHYSICAL STATE Liquid

BUFFER Tris-buffered Saline containing 0.1% BSA and 0.09% Sodium Azide

ISOTYPE IgG
ORIGIN USA

PRODUCTION Antibody was affinity purified using an epitope specific to DDX50 immobilized on solid

PROCEDURES support.

The epitope recognized by A301-312A-T maps to a region between residue 687 and 737 of human DEAD (Asp-Glu-Ala-Asp) box polypeptide 50 using the numbering given in entry

NP_076950.1 (GeneID 79009).

APPLICATIONS Centrifuge tube to remove product from lid. Optimal working dilutions should be determined

experimentally by the investigator. Prepare working dilution immediately before use.

Western Blot 1:2,000 - 1:10,000

Immunoprecipitation Not recommended

ADDITIONAL INFO https://www.bethyl.com/product/A301-312A-T


Use the link above to view SDS, a current list of citations, and other product specific information.

This document certifies that this product has met all of the quality control standards defined by Bethyl Laboratories, Inc.

Michael Spencer, PhD

Date: June 6, 2022

DDX50 Antibody



Detection of human DDX50 by western blot. Samples: Whole cell lysate (5, 15 and 50 μ g) from HeLa cells. Antibody: Affinity purified rabbit anti-DDX50 antibody A301-312A used for WB at 0.04 μ g/ml. Detection: Chemiluminescence with an exposure time 10 seconds.