

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere Liefer- und Versandbedingungen

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

linkedin.com/company/szaboscandic in



PHF6 Antibody

Rabbit Polyclonal

Antigen Affinity Purified Protein ID NP_115834.1

Catalog No. A301-451A GenelD 84295

Lot No. A301-451A-2

APPLICATIONS WB, IP, IHC

SPECIES REACTIVITY Human

PRESUMED REACTIVITY Based on 100% sequence identity, this antibody is predicted to react with Bovine and Orangutan

AMOUNT 100 μl

CONCENTRATION 200 μg/ml

STORAGE/SHELF LIFE 2 – 8° C / 1 year from date of receipt

PHYSICAL STATE Liquid

BUFFER Tris-buffered Saline containing 0.1% BSA and 0.09% Sodium Azide

ISOTYPE IgG
ORIGIN USA

PRODUCTION PROCEDURES

Antibody was affinity purified using an epitope specific to PHF6 immobilized on solid support.

The epitope recognized by A301-451A maps to a region between residue 125 and 175 of human

PHD finger protein 6 using the numbering given in entry NP_115834.1 (GeneID 84295).

Immunoglobulin concentration was determined by extinction coefficient: absorbance at 280 nm

of 1.4 equals 1.0 mg of IgG.

APPLICATIONS Centrifuge tube to remove product from lid. Optimal working dilutions should be determined

experimentally by the investigator. Prepare working dilution immediately before use.

Western Blot 1:2,000 - 1:10,000

Immunoprecipitation 2 – 10 µg/mg lysate

Immunohistochemistry 1:100 - 1:500. Epitope retrieval with citrate buffer pH 6.0 is

recommended for FFPE tissue sections.

APPLICATION NOTES Western blot of immunoprecipitates performed using Normal Pig Serum (Cat. No. S100–020),

Goat anti-Rabbit Light Chain HRP Conjugate (Cat. No. A120-113P) and 4-20% SDS-PAGE

(link to IP-western blot protocol in Additional Info section below).

Western blot of lysates performed using standard western blot reagents and 4-20% SDS-PAGE.

IHC HUMAN CONTROLS Bladder Cell Carcinoma, Breast Carcinoma, Ovarian Carcinoma, Prostate Carcinoma

ADDITIONAL INFO https://www.bethyl.com/product/A301-451A

Use the link above to view SDS, a current list of citations, and other product specific information.


IP-western blot protocol https://www.bethyl.com/content/protocol_IP_WB


This document certifies that this product has met all of the quality control standards defined by Bethyl Laboratories, Inc. Eric McIntush, PhD | Chief Scientific Officer

Date: July 31, 2019




PHF6 Antibody A301-451A





Detection of human PHF6 by western blot. Samples: Whole cell lysate (50 μg) from HeLa, HEK293T, and Jurkat cells prepared using NETN lysis buffer. Antibody: Affinity purified rabbit anti-PHF6 antibody A301-451A (lot A301-451A-2) used for WB at 0.04 μg/ml. Detection: Chemiluminescence with an exposure time of 10 seconds.

Detection of human PHF6 by western blot of immunoprecipitates. Samples: Whole cell lysate (1.0 mg per IP reaction; 20% of IP loaded) from HeLa cells prepared using NETN lysis buffer. Antibodies: Affinity purified rabbit anti-PHF6 antibody A301-451A (lot A301-451A-2) used for IP at 6 μg per reaction. PHF6 was also immunoprecipitated by a previous lot of this antibody (lot A301-451A-1). For blotting immunoprecipitated PHF6, A301-451A was used at 0.04 μg/ml. Detection: Chemiluminescence with an exposure time of 10 seconds.



Detection of human PHF6 by immunohistochemistry. Sample: FFPE section of human ovarian carcinoma. Antibody: Affinity purified rabbit anti-PHF6 (Cat. No. A301-451A lot 2) used at a dilution of 1:200 (1µg/ml). Detection: DAB