



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

USP19/ZMYND9 Antibody

Rabbit Polyclonal

Antigen Affinity Purified	RefSeq ID	NP_006668.1
Catalog No. A301-587A-T	Uniprot ID	O94966
Lot No. A301-587A-T-2	GenelD	10869

APPLICATIONS	WB, IP
SPECIES REACTIVITY	Human
AMOUNT	10 µl
CONCENTRATION	200 µg/ml
STORAGE/SHELF LIFE	2 – 8°C / 1 year from date of receipt
PHYSICAL STATE	Liquid
BUFFER	Tris-buffered Saline containing 0.1% BSA and 0.09% Sodium Azide
ISOTYPE	IgG
ORIGIN	USA
PRODUCTION PROCEDURES	Antibody was affinity purified using an epitope specific to USP19/ZMYND9 immobilized on solid support.

The epitope recognized by A301-587A-T maps to a region between residue 900 and 950 of human ubiquitin specific peptidase 19 (zinc finger MYND domain-containing protein 9) using the numbering given in entry NP_006668.1 (GenelD 10869).

APPLICATIONS Centrifuge tube to remove product from lid. Optimal working dilutions should be determined experimentally by the investigator. Prepare working dilution immediately before use.


Western Blot 1:2,000 – 1:10,000

Immunoprecipitation 2 – 10 µg/mg lysate


ADDITIONAL INFO <https://www.fortislife.com/p/A301-587A-T>

Use the link above to view SDS, a current list of citations, and other product specific information.

This document certifies that this product has met all of the quality control standards defined by Bethyl Laboratories, Inc.
Michael Spencer, PhD Date: September 15, 2022



Detection of human USP19/ZMYND9 by western blot.
Samples: Whole cell lysate (10 µg) from Jurkat, HeLa, HEK293T, A-549, and U2OS cells prepared using NETN lysis buffer. *Antibody:* Affinity purified rabbit anti-USP19/ZMYND9 antibody (A301-587A lot 2) used for WB at 0.04 µg/ml. *Detection:* Chemiluminescence with an exposure time of 30 seconds.



Detection of human USP19/ZMYND9 by western blot of immunoprecipitates. *Samples:* Whole cell lysate (1.0 mg per IP reaction; 20% of IP loaded) from Jurkat cells prepared using NETN lysis buffer. *Antibodies:* Affinity purified rabbit anti-USP19/ZMYND9 antibody (A301-587A lot 2) used for IP at 6 µg per reaction. USP19/ZMYND9 was also immunoprecipitated by a second antibody against a different epitope of USP19/ZMYND9 (A301-586A). For blotting immunoprecipitated USP19/ZMYND9, A301-587A was used at 0.04 µg/ml. *Detection:* Chemiluminescence with an exposure time of 3 seconds.