

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere Liefer- und Versandbedingungen

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

linkedin.com/company/szaboscandic in



eIF5B/IF2 Antibody

Rabbit Polyclonal

Antigen Affinity Purified Protein ID NP_056988.3

Catalog No. A301-745A-T GeneID 9669

Lot No. A301-745A-T-1

APPLICATIONS WB

SPECIES REACTIVITY Human

PRESUMED REACTIVITY Based on 100% sequence identity, this antibody is predicted to react with Orangutan

AMOUNT 10 μl

CONCENTRATION 200 μg/ml

STORAGE/SHELF LIFE 2 – 8°C / 1 year from date of receipt

PHYSICAL STATE Liquid

BUFFER Tris-buffered Saline containing 0.1% BSA and 0.09% Sodium Azide

ISOTYPE IgG
ORIGIN USA

PRODUCTION Antibody was affinity purified using an epitope specific to eIF5B/IF2 immobilized on solid

PROCEDURES support.

The epitope recognized by A301-745A-T maps to a region between residue 450 and 500 of

human eukaryotic translation initiation factor 5B using the numbering given in entry

NP_056988.3 (GeneID 9669).

APPLICATIONS Centrifuge tube to remove product from lid. Optimal working dilutions should be determined

experimentally by the investigator. Prepare working dilution immediately before use.

Western Blot 1:2,000 - 1:10,000

Immunoprecipitation Not recommended. Use rabbit anti-eIF5B/IF2 antibody A301-744A.


ADDITIONAL INFO https://www.bethyl.com/product/A301-745A-T

Use the link above to view SDS, a current list of citations, and other product specific information.

This document certifies that this product has met all of the quality control standards defined by Bethyl Laboratories, Inc.

Michael Spencer, PhD

Date: June 6, 2022



Detection of human eIF5B/IF2 by western blot and immunoprecipitation. Samples: Whole cell lysate from HeLa (5, 15 and 50 μg for WB; 1 mg for IP, 20% of IP loaded) and HEK293T (T; 50 μg) cells. Antibodies: Affinity purified rabbit anti–eIF5B/IF2 antibody A301–745A used for WB at 0.04 $\mu g/ml$ (A) and 1 $\mu g/ml$ (B) and used for IP at 3 $\mu g/mg$ lysate. eIF5B/IF2 was immunoprecipitated successfully when using rabbit anti–eIF5B/IF2 antibody A301–744A, which recognizes an upstream epitope. Detection: Chemiluminescence with exposure times of 30 seconds (A and B).