



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

ZNF276 Antibody

Rabbit Polyclonal

Antigen Affinity Purified

Protein ID NP_001106997.1

Catalog No. A301-879A-T

GeneID 92822

Lot No. A301-879A-T-3

APPLICATIONS WB

SPECIES REACTIVITY Human, Mouse

AMOUNT 10 µl

CONCENTRATION 1000 µg/ml

STORAGE/SHELF LIFE 2 – 8°C / 1 year from date of receipt

PHYSICAL STATE Liquid

BUFFER Tris-citrate/phosphate buffer, pH 7 to 8 containing 0.09% Sodium Azide

ISOTYPE IgG

ORIGIN USA

PRODUCTION PROCEDURES Antibody was affinity purified using an epitope specific to ZNF276 immobilized on solid support.

The epitope recognized by A301-879A-T maps to a region between residue 564 and 614 of human zinc finger protein 276 using the numbering given in entry NP_001106997.1 (GeneID 92822).

Immunoglobulin concentration was determined by extinction coefficient: absorbance at 280 nm of 1.4 equals 1.0 mg of IgG.

APPLICATIONS Centrifuge tube to remove product from lid. Optimal working dilutions should be determined experimentally by the investigator. Prepare working dilution immediately before use.


Western Blot 1:10,000 – 1:25,000

Immunoprecipitation Not recommended


ADDITIONAL INFO <https://www.bethyl.com/product/A301-879A-T>

Use the link above to view SDS, a current list of citations, and other product specific information.

This document certifies that this product has met all of the quality control standards defined by Bethyl Laboratories, Inc.
Michael Spencer, PhD Date: June 6, 2022



Detection of human ZNF276 by western blot. *Samples:* Whole cell lysate (50 µg) from Jurkat, MCF-7, HeLa, and HEK293T cells prepared using NETN lysis buffer. ***Antibody:*** Affinity purified rabbit anti-ZNF276 antibody (A301-879A lot 3) used for WB at 0.4 µg/ml. ***Detection:*** Chemiluminescence with an exposure time of 10 seconds.



Detection of mouse ZNF276 by western blot. *Samples:* Whole cell lysate (50 µg) from NIH 3T3 and CT26 cells prepared using NETN lysis buffer. ***Antibody:*** Affinity purified rabbit anti-ZNF276 antibody (A301-879A-3) used for WB at 0.4 µg/ml. ***Detection:*** Chemiluminescence with an exposure time of 10 seconds.