



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Prefoldin 1 Antibody

Rabbit Polyclonal

Antigen Affinity Purified	RefSeq ID	NP_002613.2
Catalog No. A303-795A-T	Uniprot ID	O60925
Lot No. 1	GeneID	5201

APPLICATIONS	WB, IP
SPECIES REACTIVITY	Human
PRESUMED REACTIVITY	Based on 100% sequence identity, this antibody is predicted to react with Mouse, Bovine and Orangutan
AMOUNT	10 µl
CONCENTRATION	1000 µg/ml
STORAGE/SHELF LIFE	2 – 8°C / 1 year from date of receipt
PHYSICAL STATE	Liquid
BUFFER	Tris-citrate/phosphate buffer, pH 7 to 8 containing 0.09% Sodium Azide
ISOTYPE	IgG
ORIGIN	USA
PRODUCTION PROCEDURES	Antibody was affinity purified using an epitope specific to Prefoldin 1 immobilized on solid support.


The epitope recognized by A303-795A maps to a region between residue 72 and 122 of human Prefoldin Subunit 1 using the numbering given in entry NP_002613.2 (GeneID 5201).

Immunoglobulin concentration was determined using Beer's Law where 1mg/mL IgG has an A280 of 1.4.


APPLICATIONS	Centrifuge tube to remove product from lid. Optimal working dilutions should be determined experimentally by the investigator. Prepare working dilution immediately before use.
	Western Blot 1:500 – 1:2500
	Immunoprecipitation 6 µg/mg lysate

ADDITIONAL INFO	https://www.fortislifesciences.com/p/A303-795A-T
	Use the link above to view SDS, a current list of citations, and other product specific information.

This document certifies that this product has met all of the quality control standards defined by Bethyl Laboratories, Inc.
Michael Spencer, PhD Date: January 31, 2024



Detection of human Prefoldin 1 by western blot.
Samples: Whole cell lysate from HEK293T (15 and 50 µg), HeLa (H; 50 µg) and Jurkat (J; 50 µg) cells. *Antibodies:* Affinity purified rabbit anti-Prefoldin 1 antibody A303-795A used for WB at 1 µg/ml. *Detection:* Chemiluminescence with exposure time of 3 minutes.



Detection of human Prefoldin 1 by western blot of immunoprecipitates. *Samples:* Whole cell lysate (1 mg for IP, 20% of IP loaded) from HEK293T cells. *Antibodies:* Affinity purified rabbit anti-Prefoldin 1 antibody A303-795A (lot A303-795A-1) used for IP at 6 µg/mg lysate. For blotting immunoprecipitated Prefoldin 1, A303-795A was used at 1.0 µg/ml. *Detection:* Chemiluminescence with exposure time of 3 minutes.