

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere Liefer- und Versandbedingungen

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

linkedin.com/company/szaboscandic in



PD-L1 Recombinant Monoclonal Antibody [BLR226K]



Rabbit Recombinant Monoclonal

Purified Protein ID NP_068693.1

Catalog No. A700-226 GeneID 60533

Lot No. A700-226-1

APPLICATIONS WB

SPECIES REACTIVITY Mouse

AMOUNT 100 μl (10 blots)

 $\begin{array}{ccc} \textbf{CONCENTRATION} & 1000 \; \mu g/ml \end{array}$

STORAGE/SHELF LIFE $2 - 8^{\circ}\text{C} / 1$ year from date of receipt

PHYSICAL STATE Liquid

BUFFER Borate Buffered Saline (BBS) pH 8.2 with 0.09% Sodium Azide, BSA Free

ISOTYPE IgG

CLONE # BLR226K
ORIGIN USA

PRODUCTION Recombinant antibody was purified from cell culture supernatant.

PROCEDURES

Immunogen was a recombinant protein representing the extracellular domain of mouse

Programmed cell death 1 ligand 1 (residues 19-239, NP_068693.1).

APPLICATIONS Centrifuge tube to remove product from lid. Optimal working dilutions should be determined

experimentally by the investigator. Prepare working dilution immediately before use.

Western Blot 1:1,000


ADDITIONAL INFO https://www.fortislife.com/p/A700-226

Use the link above to view SDS, a current list of citations, and other product specific information.

This document certifies that this product has met all of the quality control standards defined by Bethyl Laboratories, Inc.

Michael Spencer, PhD

Date: July 27, 2022



Detection of mouse PD–L1 by western blot. Samples: Whole cell lysate (50 μg) from A20, 70Z/3, CH27, NIH 3T3, and mouse Thymus cells prepared using NETN lysis buffer. Antibody: Rabbit anti-PD–L1 recombinant monoclonal antibody [BLR226K] (A700–226 lot 1) used at 1:1000. Secondary: HRP–conjugated goat anti–rabbit IgG (A120–101P). Chemiluminescence with an exposure time of 3 minutes. Lower Panel: Rabbit anti–Actin recombinant monoclonal antibody [BLR057F] (A700–057).