



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 



Fibronectin, chicken

nordicmubio.com/product/fibronectin-chicken

Catalogue number: **FI24931**

Product Type	Primary Antibodies
Units	0.5 ml
Host	Rabbit
Application	ELISA Immunofluorescence Immunohistochemistry (paraffin) Radioimmunoassay

Background

This antibody may be used to identify fibronectin during wound healing, during tumour progression, and tumour invasion respectively. Fibronectins are glycoproteins, which occur as dimers of two 200 kDa subunits. They have binding domains for bacterial proteins, collagens, heparin-like molecules and fibrin. Cellular fibronectin is widely distributed in the stroma of malignant tumours. Chicken fibronectin 100%, chicken collagen type I, III and V <0.1% (RIA at 1:10000 dilution).

Source

Immunogen: Purified fibronectin from chicken plasma

Product

Affinity purified antibody lyophilized from phosphate buffered solution (non-sterile). Contains antimycotic substance, but no BSA and sodium azide! Reconstitute with 0.5 ml of sterile water and store aliquots at -20°C. For further dilution use appropriate antibody diluent, e.g. Art. No. PU002 for IHC.

Purification Method: Affinity purified antibody lyophilized from phosphate buffered solution (non-sterile). Contains antimycotic substance, but no BSA and sodium azide! Reconstitute with 0.5 ml of sterile water and store aliquots at -20°C. For further dilution use appropriate antibody diluent, e.g. Art. No. PU002 for IHC.

Concentration: app. 1 mg/ml

Secondary Reagents: Anti-rabbit IgG-conjugates, e.g. anti-rabbit IgG:FITC (Art. No. FI-1000) or anti-rabbit IgG:DyLight488 (Art. No. DI-1488).

Specificity

Species Reactivity: Chicken

Applications

IFA, IHC(P), ELISA, RIA

Incubation Time: IHC(P) 60 min at RT or 2-8°C over night

Working Concentration: (purified, lyophilized) IFA ? 1:80, IHC(P) ? 1:500, ELISA ? 1:200 (OD ? 500)

Pre-Treatment: After de-waxing the tissue slices they are treated with 0.2% hyaluronidase (app. 300 U/mg e.g. Art. No. HYA02-50) in TBS 15 min at 37°C. There after non-specific binding is blocked by blocking serum or 3% BSA in TBS. For peroxidase systems blocking with 1% peroxide solution in TBS for 30 min at RT is recommended.

Positive Control: Chicken skin

Storage

-20°C

Caution

This product is intended FOR RESEARCH USE ONLY, and FOR TESTS IN VITRO, not for use in diagnostic or therapeutic procedures involving humans or animals. It may contain hazardous ingredients. Please refer to the Safety Data Sheets (SDS) for additional information and proper handling procedures. Dispose product remainders according to local regulations. This datasheet is as accurate as reasonably achievable, but Nordic-MUBio accepts no liability for any inaccuracies or omissions in this information.

References

1. Anselme K., Lanel B., Gentil C., Hardouin P., Marie P.J., Sigot-Luizard M.F. (1994) Bone organotypic culture method: a model for cytocompatibility testing of biomaterials. Cells and Materials 4, 113-123.

Protein Reference(s)

Database Name: UniProt

Accession number: P11722 (FINC_CHICK)

Species Accession: Chicken

Safety Datasheet(s) for this product:

NM_Sodium Azide

[/wp-content/uploads/SDS/Antibody SDS with Sodium Azide Noridic-MUbio.pdf](#)