



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 



6405 Mira Mesa Blvd, Ste 100
San Diego, CA 92121
Tel: 1.858.202.1401
Fax: 1.858.481.8694
Email: support@bpsbioscience.com

Data Sheet

Anti-Cre polyclonal antibody **Catalog #: 25215**

Lot #: 220819	Host Species: Rabbit
Conc.: N/A	Species Reactivity: NA
Size: 100 µl	Immunogen: Synthetic peptide
Clonality: Polyclonal	Purification: Whole serum

Description: Polyclonal antibody raised in rabbit against Cre recombinase using a KLH-conjugated synthetic peptide located at the C-terminal part of the protein.

Background: Cre recombinase originates from bacteriophage P1 and recognizes loxP sites in the genome. It catalyzes recombination between two loxP sites, thereby excising the intervening DNA sequence. Cre recombinase is used as a tool for the generation of transgenic animals

Formulation: Whole antiserum from rabbit containing 0.05% azide


Applications: ELISA (1:100), WB (1:500)

Storage/Stability: Store at -80°C for up to 2 years. Centrifuge after first thaw to maximize product recovery. Aliquot to avoid repeated freeze/thaw cycles. Aliquots may be stored at -20°C for at least one month.

Warnings: Avoid freeze/thaw cycles


Notes: The optimal antibody concentration should be determined by the end-user.

Quality Assurance:



Determination of the antibody titer.

To determine the titer, an ELISA was performed using a serial dilution of the antibody directed against Cre (cat. No. 25215) in antigen coated wells. By plotting the absorbance against the antibody dilution (Figure 1), the titer of the antibody was estimated to be 1:2,900.



Western blot analysis using the antibody directed against Cre (1).

Western blot was performed on whole cell lysates from untransfected 293 cells (lane 1), or 293 cells transfected with Cre (lane 2), Dre (lane 3) or Flp (lane 4) with the antibody against Cre (cat. No. 25215), diluted 1:500 in BSA/PBS-Tween. The molecular weight marker (in kDa) is shown on the left; the location of the protein of interest (expected size: 38 kDa) is indicated on the right.