

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere Liefer- und Versandbedingungen

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

linkedin.com/company/szaboscandic in



Description

Adeno-Associated Virus Serotype 1 (AAV1) exhibits high homology with other AAV serotypes. AAV1 efficiently transduces muscle tissue, as determined by a region of the capsid protein VP1 (amino acids 350 to 430) which functions as a major determinant of tissue tropism.

These AAV1 particles constitutively express the firefly (*Photinus pyralis*) luciferase and eGFP genes connected via a T2A linker, under the control of a CMV promoter. The T2A self-cleaving peptide (derived from *Thosea asigna* virus 2A) leads to the efficient cleavage of the transcript, and expression of luciferase and eGFP as two separate proteins.

Application(s)

- Use as a positive control for transduction
- Optimize transduction assays and track expression over time

Serotype

Wild-type AAV Serotype 1

Formulation

AAV was produced in HEK293-AAV cells and is supplied in PBS-MK (PBS Magnesium-Potassium) buffer with 0.01% Pluronic F68.

Purification

The purity of the AAV particles was confirmed to be greater than 90% by staining with One-Step Lumitein™ UV Protein Gel Stain (Biotium, 21005-1L). The purity will vary with each lot; the exact value will be provided with each shipment.




Figure 1. Purified AAV1 Luciferase-eGFP particles.

Staining of a 4-20% SDS-PAGE gel. The protein ladder is in lane 1, and 2 x 10^9 GC (genome copy number) of AAV was loaded in lane 2. AAV viral proteins VP1, VP2, and VP3 are labeled.



Titer

Two vials (50 μ l x 2) of AAV at a titer \geq 1 x 10^{12} TU/ml. The titer is determined by qPCR and will vary with each lot; the exact value will be provided with each shipment.

Storage



AAV is shipped with dry ice. For long-term storage, it is recommended to store AAV at -80°C. Avoid repeated freeze-thaw cycles. Titers can drop significantly with each freeze-thaw cycle.

Biosafety



Recombinant AAV is inherently replication-deficient and not known to cause any human diseases. Additionally, following transduction, AAV vectors exist episomally and do not integrate into or disrupt the host cell's genome. AAV requires the use of a Biosafety Level 1 facility. BPS Bioscience recommends following all local, federal, state, and institutional regulations and using all appropriate safety precautions.

Validation Data




Figure 2. Transduction of HEK293 cells using AAV1 Luciferase-eGFP particles. 1×10^5 cells/well were transduced in a 6-well plate with AAV-1 Luciferase-eGFP particles at an MOI of 1×10^4 . After 72 hours of transduction, eGFP expression in the target cells was observed under a fluorescence microscope. EGFP expression was stable over time and still observed 30 days after transduction.






Figure 3. Luciferase activity of HEK293 cells transduced by AAV1 Luciferase-eGFP particles. 1 x 10⁵ cells/well were transduced in a 6-well plate with AAV1 Luciferase-eGFP at an MOI of 2 x 10⁴. After 72 hours of transduction, transduced cells or parental HEK293 cells were seeded in a 96-well plate at a density of 2 x 10⁴ cells/well, and luciferase activity was measured using the ONE-Step™ Luciferase Assay System (BPS Bioscience #60690).

Troubleshooting Guide

Visit bpsbioscience.com/lentivirus-faq for detailed troubleshooting instructions. For all further questions, please email support@bpsbioscience.com.

Related Products

Products	Catalog #	Size
AAV1 ZsGreen	78443	50 μl x 2
AAV2 ZsGreen	78444	50 μl x 2
AAV3 ZsGreen	78445	50 μl x 2
AAV5 ZsGreen	78447	50 μl x 2
AAV3 Luciferase-eGFP	78463	50 μl x 2

