



# SZABO SCANDIC

Part of Europa Biosite

## Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!  
See the following pages for more information!



### Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

[mail@szabo-scandic.com](mailto:mail@szabo-scandic.com)

[www.szabo-scandic.com](http://www.szabo-scandic.com)

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

**Description**

Cereblon (CRBN) forms an E3 ubiquitin ligase complex which is responsible for ubiquitinating proteins that regulate various developmental processes. CRBN also binds to Calcium Activated Potassium Channel subunit alpha-1 (KCNMA1) to regulate ion transport. Moreover, mutations in CRBN may play an underlying role in tumor cells acquiring resistance to immunotherapy.

The CRBN CRISPR/Cas9 Lentiviruses are replication incompetent, HIV-based VSV-G pseudotyped lentiviral particles that are ready to transduce almost all types of mammalian cells, including primary and non-dividing cells. The particles contain a CRISPR/Cas9 gene driven by an EF1a promoter, along with 5 sgRNA (single guide RNA) targeting human CRBN.

The DNA transduced by this lentivirus integrates randomly into the cellular genome to express both Cas9 and sgRNA. Puromycin selection increases the knockout efficiency by forcing high expression levels of both Cas9 and the sgRNA, and can be used with the integrating lentivirus to quickly and easily achieve high knockdown efficiencies in a cell pool. Efficiencies also depend on the cell type.




Figure 1: Schematic of the lenti-vector used to generate the CRBN CRISPR/Cas9 Lentivirus.

Gene Target:	sgRNA Sequence:
CRBN	ACCAATGTTTCATATAAATGG
CRBN	CTGACTGTGTCTTAGCTCA
CRBN	TTACATACTGTATGTGATGT
CRBN	TTCTAATTGAACTGCAGACA
CRBN	TCAAGAAACAGCTACGTGAA

Table 1: List of sgRNA Sequences in the CRBN CRISPR/Cas9 Lentivirus.

**Application(s)**

- Transient knockdown of CRBN in target cell pools
- Generation of a stable CRBN knockout cell line following puromycin selection and limiting dilution cloning

**Formulation**

The lentivirus particles were produced from HEK293T cells. They are supplied in cell culture medium containing 90% DMEM + 10% FBS.

**Titer**


Two vials (500  $\mu$ l x 2) of lentivirus at a titer  $\geq 1 \times 10^7$  TU/ml. The titer will vary with each lot; the exact value will be provided with each shipment.

**Storage**

Lentiviruses are shipped with dry ice. For long-term storage, it is recommended to store the lentiviruses at  $-80^{\circ}\text{C}$ . Avoid repeated freeze-thaw cycles. Titers can drop significantly with each freeze-thaw cycle.

**Biosafety**

The lentiviruses are produced with the SIN (self-inactivation) lentivector which ensures self-inactivation of the lentiviral construct after transduction and after integration into the genomic DNA of the target cells. None of the HIV genes (gag, pol, rev) will be expressed in the transduced cells, as they are expressed from packaging plasmids lacking the packing signal and are not present in the lentivirus particle. Although the pseudotyped lentiviruses are replication-incompetent, they require the use of a Biosafety Level 2 facility. BPS Bioscience recommends following all local federal, state, and institutional regulations and using all appropriate safety precautions.

**Figures and Validation Data**

*Figure 2: Knockdown of CRBN in Jurkat cells using CRBN CRISPR/Cas9 Lentivirus.*

Jurkat cells were transduced via spinoculation with  $8 \times 10^7$  TU/well of CRBN CRISPR/Cas9 lentivirus, corresponding to an MOI of approximately 5-10. 48 hours after transduction, cells were stained with PE-labeled anti-human CRBN antibody (ThermoFisher #PA5-98707) and analyzed by flow cytometry. Non-transduced, parental Jurkat cells are shown in red, and the transduced cells are shown in green.

**Troubleshooting Guide**

Visit [bpsbioscience.com/lentivirus-faq](https://bpsbioscience.com/lentivirus-faq) for detailed troubleshooting instructions. For all further questions, please email [support@bpsbioscience.com](mailto:support@bpsbioscience.com).

**License Disclosure**

The CRISPR/CAS9 technology is covered under numerous patents, including U.S. Patent Nos. 8,697,359 and 8,771,945, as well as corresponding foreign patent applications, and patent rights.

**Related Products**

Products	Catalog #	Size
CRBN CRISPR/Cas9 Lentivirus (Non-Integrating)	78518	500 µl x 2
Cas9 Lentivirus (Puromycin Selection)	78066	500 µl x 2
Cas9 Lentivirus (Neomycin Selection)	78432	500 µl x 2
Cereblon/DDB1/Cul4A/Rbx1 Complex Recombinant	100329	50 µg